

Modul:Convert/text

Ausgabe: 17.06.2025

Letzte Änderung: 23.02.2022

Seite von

Modul:Convert/text

This page defines text used by [Module:Convert](#). All documentation (from [Module:Convert/doc](#)) is at that module. The text includes messages and categories output by the module, and parameters used as input.

This is a separate module to simplify translation for use on another wiki. For example, see `translation_table` and the other tables in [bn:Module:Convert/text](#). Documentation is at [Template:Convert/Transwiki guide](#).

Any changes should first be tested at [Module:Convert/text/sandbox](#)—see [Template:Convert/testcases#Sandbox testcases](#).

```
-- Text used by Module:Convert for enwiki.
-- This is a separate module to simplify translation for use on another wiki.
-- See [[en:Template:Convert/Transwiki guide]] if copying to another wiki.

-- Some units accept an SI prefix before the unit code, such as "kg" for kilogram.
local SIprefixes = {
    -- The prefix field is what the prefix should be, if different from the prefix used
    ['Y'] = { exponent = 24, name = 'yotta' },
    ['Z'] = { exponent = 21, name = 'zetta' },
    ['E'] = { exponent = 18, name = 'exa' },
    ['P'] = { exponent = 15, name = 'peta' },
    ['T'] = { exponent = 12, name = 'tera' },
    ['G'] = { exponent = 9, name = 'giga' },
    ['M'] = { exponent = 6, name = 'mega' },
    ['k'] = { exponent = 3, name = 'kilo' },
    ['h'] = { exponent = 2, name = 'hecto' },
    ['da']= { exponent = 1, name = 'deca' , name_us = 'deka' },
    ['d']= { exponent = -1, name = 'deci' },
    ['c']= { exponent = -2, name = 'centi' },
    ['m']= { exponent = -3, name = 'milli' },
    [''] = { exponent = -6, name = 'micro' }, -- key = 'GREEK SMALL'
    ['μ']= { exponent = -6, name = 'micro', prefix = '' }, -- key = 'MICRO SIGN'
    ['u']= { exponent = -6, name = 'micro', prefix = '' }, -- not an SI prefix, !
    ['n']= { exponent = -9, name = 'nano' },
    ['p']= { exponent =-12, name = 'pico' },
    ['f']= { exponent =-15, name = 'femto' },
    ['a']= { exponent =-18, name = 'atto' },
    ['z']= { exponent =-21, name = 'zepto' },
    ['y']= { exponent =-24, name = 'yocto' },
}

-- Some units can be qualified with one of the following prefixes, when linked.
local customary_units = {
    { "US", link = "United States customary units" },
    { "U.S.", link = "United States customary units" },
    { "imperial", link = "Imperial units" },
    { "imp", link = "Imperial units" },
}
```

```

}

-- Names when using engineering notation (a prefix of "eN" where N is a number; example "e12")
-- key = { "name", link = "article title", exponent = numeric_key_value }
-- If lk=on and link is defined, the name of the number will appear as a link.
local eng_scales =
    [ "3" ] = { "thousand", exponent = 3 },
    [ "6" ] = { "million", exponent = 6 },
    [ "9" ] = { "billion", link = "1000000000 (number)", exponent = 9 },
    [ "12" ] = { "trillion", link = "1000000000000 (number)", exponent = 12 },
    [ "15" ] = { "quadrillion", link = "1000000000000000000 (number)", exponent = 15 },
}

local all_categories =
    unit = "[[Category:Convert errors]]",
    option = "[[Category:Convert errors]]",
    warning = '[[Category:Convert invalid options]]',
    tracking = '[[Category:Convert tracking]]',
}

-- For some error messages, the following puts the wanted style around
-- each unit code marked like '...%{ft%}...'.
local unitcode_regex = '%%(%)'
local unitcode_replace = { ['{''] = '''', ['}'] = ''' } -- no longer need the more elaborate
-- All messages that may be displayed if a problem occurs.
local all_messages =
    -- Message format string: $1=title, $2=text, $3=category, $4=anchor.
    -- Each displayed message starts with "Convert:" so can easily locate by searching
    cvt_format = '<sup class="noprint Inline-Template" style="white-space:nowrap;">[<i>Convert:</i> <span>$1</span> <span>$2</span> <span>$3</span> <span>$4</span>]</sup>'
    cvt_format2 = '<sup class="noprint Inline-Template" style="white-space:nowrap;">[<i>Convert:</i> <span>$1</span> <span>$2</span> <span>$3</span> <span>$4</span>]</sup>'
    cvt_format_preview = '<strong class="error">Error in convert: $1 [[Help:Convert message|$2]]</strong> <small>in category $3</small> <small>with anchor $4</small>'

    -- Each of following messages is a table:
    -- { [1] = 'title',           -- mouseover title text
    --     [2] = 'text',           -- link text displayed in article
    --     [3] = 'category key',   -- key to lookup category in all_categories
    --     [4] = 'anchor',         -- anchor for link to relevant section on help page
    --     regex = gsub_regex,
    --     replace = gsub_table,
    --     }
        Mouseover title text                                     Link text
    cvt_bad_input      = { 'input "$1" must be a number and unit' , 'invalid input' }
    cvt_bad_num        = { 'Value "$1" must be a number' , 'invalid number' }
    cvt_big_prec       = { 'Precision "$1" is too large' , 'precision too large' }
    cvt_invalid_num    = { 'Number has overflowed' , 'number overflowed' }
    cvt_no_num         = { 'Needs the number to be converted' , 'needs a number' }
    cvt_no_num2        = { 'Needs another number for a range' , 'needs another number' }
    cvt_bad_altitude  = { '"$1" needs an integer' , 'invalid altitude' }
    cvt_bad_frac       = { '"$1" needs an integer above 1' , 'invalid fraction' }
    cvt_bad_prec       = { 'Precision "$1" must be an integer' , 'invalid precision' }
    cvt_bad_sigfig     = { '"$1" needs a positive integer' , 'invalid significant figure' }
    cvt_empty_option   = { 'Ignored empty option "$1"' , 'empty option' }
    cvt_DEPRECATED     = { 'Option "$1" is deprecated' , '*' }
    cvt_no_spell       = { 'Spelling is not available' , 'bug, ask for help' }
    cvt_unknown_option = { 'Ignored invalid option "$1"' , 'invalid option' }
    cvt_wd_fail        = { 'Unable to access Wikidata' , 'wikidata problem' }
    cvt_bad_default    = { 'Unit "$1" has an invalid default' , 'bug, ask for help' }
    cvt_bad_unit        = { 'Unit "$1" is invalid here' , 'unit invalid' }
    cvt_no_default     = { 'Unit "$1" has no default output unit' , 'bug, ask for help' }
    cvt_no_unit         = { 'Needs name of unit' , 'needs unit' }
    cvt_unknown         = { 'Unit name "$1" is not known' , 'unknown unit' }
    cvt_should_be      = { '$1' , 'ambiguous unit' }
    cvt_mismatch       = { 'Cannot convert "$1" to "$2"' , 'unit mismatch' }
    cvt_bug_convert    = { 'Bug: Cannot convert between specified units' , 'bug, ask for help' }
    cvt_lookup          = { 'Unit "$1" is incorrectly defined' , 'bug, ask for help' }

}

-- Text to join input value/unit with output value/unit.

```

```

local disp_joins = {
    -- [1]=before output, [2]=after output, [3]=between outputs in a combination; default
    -- [wantname] gives default abbr=off
    ["or"]      = { " or " , " ", " or " , wantname = true },
    ["sqbr-sp"] = { " [ " , " ]" },
    ["sqbr-nnbsp"] = { "&nnbsp;[ " , " ]" },
    ["comma"]   = { " , " , " " , " , " },
    ["slash-sp"] = { " / " , " " , wantname = true },
    ["slash-nnbsp"] = { "&nnbsp;/ " , " " , wantname = true },
    ["slash-nosp"] = { "/" , " " , wantname = true },
    ["b"]        = { " ( " , " )" },
    ["(or)"]    = { " ( " , " )" , " or " },
    ["br"]       = { "<br />" , " " , wantname = true },
    ["br()"]    = { "<br />( " , " )" , wantname = true },
}

-- Text to separate values in a range.
local range_types = {
    -- Specifying a table requires either:
    -- * "off" and "on" values (for "abbr=off" and "abbr=on"), or
    -- * "input" and "output" values (for LHS and RHS);
    -- other fields are optional.
    -- When "adj=on|abbr=off" applies, spaces in range text are replaced with hyphens.
    -- With "exception = true", that also occurs with "adj=on|abbr=on".
    -- If "adj" is defined here, that text (unchanged) is used with "adj=on".
    ["+"]      = " + ",
    [","]     = ",&nnbsp;",
    [", and"] = ", and ",
    [", or"]  = ", or ",
    ["by"]    = " by ",
    ["-"]     = "-",
    ["to about"] = " to about ",
    ["and"]   = { off = " and " , on = " and " , exception = true },
    ["and(-)"] = { input = " and " , output = "-" },
    ["or"]    = { off = " or " , on = " or " , exception = true },
    ["to"]    = { off = " to " , on = " to " , exception = true },
    ["to(-)"] = { input = "&nnbsp;to " , output = "-" },
    ["+/-"]   = { off = "&nnbsp;±&nnbsp;" , on = "&nnbsp;±&nnbsp;" , adj = "&nnbsp;±&nnbsp;" },
    ["by(x)"] = { input = " by " , output = " ×&nnbsp;" , out_range_x = true },
    ["x"]     = { off = " by " , on = " ×&nnbsp;" , abbr_range_x = true },
    ["xx"]   = "&nnbsp;×&nnbsp;",
    ["*"]    = "×",
    ["/"]    = "&thinsp;/&thinsp;" , -- for a table of high/low temperatures with {{`}
}

local range_aliases = {
    -- ["alternative name for a range"] = "standard range name"
    ["-"]      = "-",
    ["&ndash;"] = "-",
    ["x"]     = "x",
    ["&times;"] = "x",
    ["±"]     = "+/-",
    ["&plusmn;"] = "+/-",
}
}

-- Convert accepts range text delimited with whitespace, for example, {{convert|1 to 2|ft}}
-- In addition, the following "words" are accepted without spaces, for example, {{convert|`}.
-- Words must be in correct order for searching, for example, 'x' after 'xx'.
local range_words = { '-' , '-' , 'xx' , 'x' , '*' }

local ranges = {
    types = range_types,
    aliases = range_aliases,
    words = range_words,
}

-- Valid option names.

```

```

local en_option_name = {
    -- ["local text for option name"] = "en name used in this module"
    ["$"] = "$",
    ["abbr"] = "abbr",
    ["adj"] = "adj",
    ["altitude_ft"] = "altitude_ft",
    ["altitude_m"] = "altitude_m",
    ["comma"] = "comma",
    ["debug"] = "debug",
    ["disp"] = "disp",
    ["frac"] = "frac",
    ["input"] = "input",
    ["lang"] = "lang",
    ["lk"] = "lk",
    ["order"] = "order",
    ["qid"] = "qid",
    ["qual"] = "qual",
    ["qualifier"] = "qual",
    ["round"] = "round",
    ["sigfig"] = "sigfig",
    ["sing"] = "adj",                                -- "sing" is an old alias for "adj"
    ["sortable"] = "sortable",
    ["sp"] = "sp",
    ["spell"] = "spell",
    ["stylein"] = "stylein",
    ["styleout"] = "styleout",
    ["tracking"] = "tracking",
}

-- Valid option values.
-- Convention: parms.opt_xxx refers to an option that is set here
-- (not intended to be set by the template which invokes this module).
-- Example: At enwiki, "abbr" includes:
--     ["values"] = "opt_values"
-- As a result, if the template uses abbr=values, Module:Convert sets:
--     parms["opt_values"] = true
--     parms["abbr"] = nil
-- Therefore parms.abbr will be nil, or will have one of the listed values
-- that do not start with "opt_".
-- An option value of form "xxx?" is the same as "xxx" but shows the input as deprecated.
local en_option_value = {
    ["$"] = 'TEXT',                                -- TEXT should be a currency symbol that will ]
    ["abbr"] = {
        -- ["local text for option value"] = "en value used in this module"
        ["def"] = "",                               -- ignored (some wrapper templates call co
        ["h"] = "on",                               -- abbr=on + use "h" for hand unit (default)
        ["hh"] = "opt_hand_hh",                     -- abbr=on + use "hh" for hand unit
        ["in"] = "in",                             -- use symbol for LHS unit
        ["none"] = "off",                          -- old name for "off"
        ["off"] = "off",                           -- use name for all units
        ["on"] = "on",                            -- use symbol for all units
        ["out"] = "out",                           -- use symbol for RHS unit (default)
        ["unit"] = "unit",                         -- abbr=on but abbreviate units only: e6km
        ["values"] = "opt_values",                 -- show only input and output numbers, not
        ["~"] = "opt_also_symbol",                 -- show input unit symbol as well as name
    },
    ["adj"] = {
        ["mid"] = "opt_adjectival, opt_adj_mid",   -- adj=on with user-specified te:
        ["off"] = "",                                -- ignored (off is the default)
        ["on"] = "opt_adjectival",                   -- unit name is singular and hyphenated
        ["pre"] = "opt_one_preunit",                -- user-specified text before input unit
        ["ri0"] = "opt_ri=0",                        -- round input with precision = 0
        ["ri1"] = "opt_ri=1",                        -- round input with precision = 1
        ["ri2"] = "opt_ri=2",                        -- round input with precision = 2
        ["ri3"] = "opt_ri=3",                        -- round input with precision = 3
    },
    ["altitude_ft"] = 'INTEGER',
}

```

```

["altitude_m"] = 'INTEGER',
["comma"] = {
    ["5"] = "opt_comma5",           -- only use numsep grouping if 5 or more digits
    ["gaps"] = "opt_gaps",          -- use gaps, not numsep, to separate groups
    ["gaps3"] = "opt_gaps, opt_gaps3", -- group only in threes rather than de
    ["off"] = "opt_nocomma",        -- no numsep in input or output numbers
},
["debug"] = {
    ["yes"] = "opt_sortable_debug", -- make the normally hidden sort key visible
},
["disp"] = {
    ["5"] = "opt_round=5?",         -- round output value to nearest 5
    ["b"] = "b",                   -- join: '(...)'
    ["(or)"] = "(or)",            -- join: '(...)' with 'or' between outputs
    ["br"] = "br",                 -- join: '<br />'
    ["br()"] = "br()",             -- join: '<br />(...)'
    ["comma"] = "comma",           -- join: ','
    ["flip"] = "opt_flip",         -- reverse order of input/output
    ["number"] = "opt_output_number_only", -- display output value (not input)
    ["or"] = "or",                 -- join: 'or'
    ["out"] = "opt_output_only",   --
    ["output number only"] = "opt_output_number_only",
    ["output only"] = "opt_output_only",
    ["preunit"] = "opt_two_preunits", -- user-specified text before input and after output
    ["sqbr"] = "sqbr",              -- join: '[...]' (square brackets)
    ["table"] = "opt_table",       -- output is suitable for a table cell without colspan
    ["tablecen"] = "opt_tablecen", -- output is suitable for a table cell with colspan
    ["unit"] = "opt_input_unit_only", -- display input symbol/name (not output)
    ["unit or text"] = "opt_input_unit_only, opt_ignore_error", -- display input and ignore errors
    ["unit2"] = "opt_output_unit_only",
    ["x"] = "x",                  -- join: <first>...<second> (user-specified separator)
},
["frac"] = 'INTEGER',
["input"] = 'TEXT',               -- TEXT should be value><space><unitcode> or <value>
["lang"] = {                      -- language for output digits (both en and local)
    ["en"] = "opt_lang_en",         -- use en digits for numbers, regardless of locale
    ["local"] = "opt_lang_local",   -- use local digits for numbers (default, same as en)
},
["lk"] = {                         -- link LHS unit name or symbol
    ["in"] = "in",                -- do not link: same as default except for
    ["off"] = "off",               -- link all unit names or symbols (but not
    ["on"] = "on",                 -- link RHS unit name or symbol
    ["out"] = "out",
},
["order"] = {                      -- reverse order of input/output
    ["flip"] = "opt_flip",         -- do not show input; instead, use order instead
    ["out"] = "opt_order_out",
},
["qid"] = 'TEXT',                 -- TEXT should be a Wikidata Q item identifier
["qual"] = 'TEXT',                -- TEXT should be a Wikidata Q item identifier
["round"] = {                      -- round output value to nearest 0.5
    ["0.5"] = "opt_round=0.5",     -- round output value to nearest 5
    ["5"] = "opt_round=5",          -- round output value to nearest 10 (same as 10)
    ["10"] = "opt_round=10",         -- round output value to nearest 25
    ["25"] = "opt_round=25",         -- round output value to nearest 50
    ["50"] = "opt_round=50",         -- using default precision in a range, round to
    ["each"] = "opt_round_each",
},
["sigfig"] = 'INTEGER',
["sortable"] = {                  -- ignored (off is the default)
    ["off"] = "",                 -- output sort key for use in a sortable table
    ["on"] = "opt_sortable_on",    -- |sortable=on, opt_sortable_debug|
    ["debug"] = "opt_sortable_on, opt_sortable_debug", -- |sortable=debug is true
},
["sp"] = {                         -- use U.S. spelling (like "meter" instead of "metre")
    ["us"] = "opt_sp_us",          -- use U.S. spelling (like "meter" instead of "metre")
},

```

```

["spell"] = {                                     -- only English spelling is supported; not sci-
    ["in"] = "opt_spell_in",                      -- spell input value in words
    ["In"] = "opt_spell_in, opt_spell_upper",      -- spell input value in words
    ["on"] = "opt_spell_in, opt_spell_out",         -- spell input and output
    ["On"] = "opt_spell_in, opt_spell_out, opt_spell_upper", -- same, with first
},
["stylein"] = 'TEXT',
["styleout"] = 'TEXT',
["tracking"] = 'TEXT',
}

local titles = {
    ["frac"] = "Fraction/styles.css",
    ["sfrac"] = "Sfrac/styles.css",
}

return {
    SIprefixes = SIprefixes,
    all_categories = all_categories,
    all_messages = all_messages,
    currency = { ['$'] = true, ['£'] = true, ['€'] = true, [''] = true, [''] = true, [
    customary_units = customary_units,
    disp_joins = disp_joins,
    en_option_name = en_option_name,
    en_option_value = en_option_value,
    eng_scales = eng_scales,
    ranges = ranges,
    titles = titles,
}

```