

Modul:Set

Ausgabe: 04.08.2025

Letzte Änderung: 23.02.2022

Seite von

Modul:Set

[Vorlage:Lua](#)

This module includes a number of set operations for Lua tables. It currently has [union](#), [intersection](#) and [complement](#) functions for both key/value pairs and for values only. It is a meta-module, meant to be called from other Lua modules, and should not be called directly from #invoke.

Inhaltsverzeichnis

- [1 Loading the module](#)
- [2 union](#)
- [3 valueUnion](#)
- [4 intersection](#)
- [5 valueIntersection](#)
- [6 complement](#)
- [7 valueComplement](#)

Loading the module

To use any of the functions, first you must load the module.

```
local set = require('Module:Set')
```

union

```
set.union(t1, t2, ...)
```

Returns the union of the key/value pairs of n tables. If any of the tables contain different values for the same table key, the table value is converted to an array holding all of the different values. For example, for the tables {foo = "foo", bar = "bar"} and {foo = "foo", bar = "baz", qux = "qux"}, union will return {foo = "foo", bar = {"bar", "baz"}, qux = "qux"}. An error is raised if the function receives less than two tables as arguments.

valueUnion

```
set.valueUnion(t1, t2, ...)
```

Returns the union of the values of n tables, as an array. For example, for the tables {1, 3, 4, 5, foo = 7} and {2, bar = 3, 5, 6}, valueUnion will return {1, 2, 3, 4, 5, 6, 7}. An error is raised if the function receives less than two tables as arguments.

intersection

```
set.intersection(t1, t2, ...)
```

Returns the intersection of the key/value pairs of n tables. Both the key and the value must match to be included in the resulting table. For example, for the tables `{foo = "foo", bar = "bar"}` and `{foo = "foo", baz = "baz"}`, intersection will return `{foo = "foo"}`. An error is raised if the function receives less than two tables as arguments.

valueIntersection

```
set.valueIntersection(t1, t2, ...)
```

Returns the intersection of the values of n tables, as an array. For example, for the tables `{1, 3, 4, 5, foo = "foo"}` and `{2, bar = 3, 5, 6}`, valueIntersection will return `[3, 5]`. An error is raised if the function receives less than two tables as arguments.

complement

```
set.complement(t1, t2, ..., tn)
```

Returns the [relative complement](#) of t_1, t_2, \dots, t_n . The complement is of key/value pairs. This is equivalent to all the key/value pairs that are in t_n but are not in any of t_1, t_2, \dots, t_{n-1} . For example, for the tables `{foo = "foo", bar = "bar", baz = "baz"}` and `{foo = "foo", bar = "baz", qux = "qux"}`, complement would return `{bar = "baz", qux = "qux"}`. An error is raised if the function receives less than two tables as arguments.

valueComplement

```
set.valueComplement(t1, t2, ..., tn)
```

This returns an array containing the [relative complement](#) of t_1, t_2, \dots, t_n . The complement is of values only. This is equivalent to all the values that are in t_n but are not in t_1, t_2, \dots, t_{n-1} . For example, for the tables `{1, 2}`, `{1, 2, 3}` and `{1, 2, 3, 4, 5}`, valueComplement would return `[4, 5]`. An error is raised if the function receives less than two tables as arguments.

```
-- [
-----
--                               Set
-- -----
-- This module includes a number of set operations for dealing with Lua tables.
-- It currently has union, intersection and complement functions for both
-- key/value pairs and for values only.
-----
-- ]
-- Get necessary libraries and functions
local libraryUtil = require('libraryUtil')
local checkType = libraryUtil.checkType
local tableTools = require('Module:TableTools')

local p = {}

-- [

```

```

-----[[
-- Helper functions
-----[]]

-- Makes a set from a table's values. Returns an array of all values with
-- duplicates removed.
local function makeValueSet(t)
    local isNaN = tableTools.isnan
    local ret, exists = {}, {}
    for k, v in pairs(t) do
        if isNaN(v) then
            -- NaNs are always unique, and they can't be table keys, so don't
            -- check for existence.
            ret[#ret + 1] = v
        elseif not exists[v] then
            exists[v] = true
            ret[#ret + 1] = v
        end
    end
    return ret
end

---[[[
-----[[
-- union
-- This returns the union of the key/value pairs of n tables. If any of the tables
-- contain different values for the same table key, the table value is converted
-- to an array holding all of the different values.
-----[]]

function p.union(...)
    local lim = select('#', ...)
    if lim < 2 then
        error("too few arguments to 'union' (minimum is 2, received " .. lim .. ')'
    end
    local ret, trackArrays = {}, {}
    for i = 1, lim do
        local t = select(i, ...)
        checkType('union', i, t, 'table')
        for k, v in pairs(t) do
            local retKey = ret[k]
            if retKey == nil then
                ret[k] = v
            elseif retKey ~= v then
                if trackArrays[k] then
                    local array = ret[k]
                    local valExists
                    for _, arrayVal in ipairs(array) do
                        if arrayVal == v then
                            valExists = true
                            break
                        end
                    end
                    if not valExists then
                        array[#array + 1] = v
                        ret[k] = array
                    end
                else
                    ret[k] = {ret[k], v}
                    trackArrays[k] = true
                end
            end
        end
    end
    return ret
end

```

```

end

--[ [
-----
-- valueUnion
--
-- This returns the union of the values of n tables, as an array. For example, for
-- the tables {1, 3, 4, 5, foo = 7} and {2, bar = 3, 5, 6}, union will return
-- {1, 2, 3, 4, 5, 6, 7}.
-----
--]
function p.valueUnion(...)
    local lim = select('#', ...)
    if lim < 2 then
        error("too few arguments to 'valueUnion' (minimum is 2, received " .. lim)
    end
    local isNaN = tableTools.isnan
    local ret, exists = {}, {}
    for i = 1, lim do
        local t = select(i, ...)
        checkType('valueUnion', i, t, 'table')
        for k, v in pairs(t) do
            if isNaN(v) then
                ret[#ret + 1] = v
            elseif not exists[v] then
                ret[#ret + 1] = v
                exists[v] = true
            end
        end
    end
    return ret
end

--[ [
-----
-- intersection
--
-- This returns the intersection of the key/value pairs of n tables. Both the key
-- and the value must match to be included in the resulting table.
-----
--]
function p.intersection(...)
    local lim = select('#', ...)
    if lim < 2 then
        error("too few arguments to 'intersection' (minimum is 2, received " .. lim)
    end
    local ret, track, pairCounts = {}, {}, {}
    for i = 1, lim do
        local t = select(i, ...)
        checkType('intersection', i, t, 'table')
        for k, v in pairs(t) do
            local trackVal = track[k]
            if trackVal == nil then
                track[k] = v
                pairCounts[k] = 1
            elseif trackVal == v then
                pairCounts[k] = pairCounts[k] + 1
            end
        end
    end
    for k, v in pairs(track) do
        if pairCounts[k] == lim then
            ret[k] = v
        end
    end
    return ret
end

```

```
--[ [
-----
-- valueIntersection
--
-- This returns the intersection of the values of n tables, as an array. For
-- example, for the tables {1, 3, 4, 5, foo = 7} and {2, bar = 3, 5, 6},
-- intersection will return {3, 5}.
-----
--]]

function p.valueIntersection(...)
    local lim = select('#', ...)
    if lim < 2 then
        error("too few arguments to 'valueIntersection' (minimum is 2, received "
    end
    local isNaN = tableTools.isnan
    local vals, ret = {}, {}
    local isSameTable = true -- Tracks table equality.
    local tableTemp -- Used to store the table from the previous loop so that we can c|
for i = 1, lim do
    local t = select(i, ...)
    checkType('valueIntersection', i, t, 'table')
    if tableTemp and t ~= tableTemp then
        isSameTable = false
    end
    tableTemp = t
    t = makeValueSet(t) -- Remove duplicates
    for k, v in pairs(t) do
        -- NaNs are never equal to any other value, so they can't be in the
        -- Which is lucky, as they also can't be table keys.
        if not isNaN(v) then
            local valCount = vals[v] or 0
            vals[v] = valCount + 1
        end
    end
end
if isSameTable then
    -- If all the tables are equal, then the intersection is that table (includ
    -- All we need to do is convert it to an array and remove duplicate values
    return makeValueSet(tableTemp)
end
for val, count in pairs(vals) do
    if count == lim then
        ret[#ret + 1] = val
    end
end
return ret
end

--[ [
-----
-- complement
--
-- This returns the relative complement of t1, t2, ..., tn. The complement
-- is of key/value pairs. This is equivalent to all the key/value pairs that are in
-- tn but are not in t1, t2, ... tn-1.
-----
--]]
function p.complement(...)
    local lim = select('#', ...)
    if lim < 2 then
        error("too few arguments to 'complement' (minimum is 2, received " .. lim
    end
    --[ [
    -- Now we know that we have at least two sets.
    -- First, get all the key/value pairs in tn. We can't simply make ret equal to tn,

```

```

-- as that will affect the value of tn for the whole module.
--]]
local tn = select(lim, ...)
checkType('complement', lim, tn, 'table')
local ret = tableTools.shallowClone(tn)
-- Remove all the key/value pairs in t1, t2, ..., tn-1.
for i = 1, lim - 1 do
    local t = select(i, ...)
    checkType('complement', i, t, 'table')
    for k, v in pairs(t) do
        if ret[k] == v then
            ret[k] = nil
        end
    end
end
return ret
end

--[]

-----[ -----
-- valueComplement
--

-- This returns an array containing the relative complement of t1, t2, ..., in tn.
-- The complement is of values only. This is equivalent to all the values that are
-- in tn but are not in t1, t2, ... tn-1.
-----]

function p.valueComplement(...)
    local lim = select('#', ...)
    if lim < 2 then
        error("too few arguments to 'valueComplement' (minimum is 2, received " ..
    end
    local isNaN = tableTools.isnan
    local ret, exists = {}, {}
    for i = 1, lim - 1 do
        local t = select(i, ...)
        checkType('valueComplement', i, t, 'table')
        t = makeValueSet(t) -- Remove duplicates
        for k, v in pairs(t) do
            if not isNaN(v) then
                -- NaNs cannot be table keys, and they are also unique so
                exists[v] = true
            end
        end
    end
    local tn = select(lim, ...)
    checkType('valueComplement', lim, tn, 'table')
    tn = makeValueSet(tn) -- Remove duplicates
    for k, v in pairs(tn) do
        if isNaN(v) or exists[v] == nil then
            ret[#ret + 1] = v
        end
    end
    return ret
end

--[]

-----[ -----
-- symmDiff
--

-- This returns the symmetric difference of key/value pairs of t1, t2, ..., tn.
-- The symmetric difference of two tables consists of the key/value pairs
-- that appear in set 1 but not set 2, together with the key/value pairs that
-- appear in set 2 but not in set 1. This is the same as the union of the two
-- minus the intersection. If either of the tables contain different values for the
-- same table key, the table value is converted to an array holding all of the
-- different values. For more than two tables, this can get confusing - see the

```

```

-- "Symmetric difference" article for details.
-----
--]]]

--[[ -- This is a rough work in progress.
function p.symmDiff(...)
    local lim = select('#', ...)
    if lim < 2 then
        error("too few arguments to 'symmDiff' (minimum is 2, received " .. lim ..)
    end

    local tremove = table.remove
    local trackArrays = {}

    local function symmDiffTwo(t1, t2)
        local ret = {}
        for k, v in pairs(t1) do
            local t2val = t2[k]
            if t2val == nil then
                ret[k] = v
            elseif trackArrays[k] then
                local array = ret[k]
                local valExists
                for i, arrayVal in ipairs(array) do
                    if arrayVal == v then
                        valExists = true
                        break
                    end
                end
                if not valExists then
                    array[#array + 1] = v
                end
            elseif v ~= t2val then
                ret[k] = {t2val, v}
                trackArrays[k] = true
            end
        end
    end

    return p
end

```