

Inhaltsverzeichnis

- [1. Modul:List/Doku](#)
- [2. Modul:List](#)

Modul:List/Doku

Dies ist die Dokumentationsseite für [Modul:List](#)

[Vorlage:Lua](#)

This module outputs various kinds of lists. At present, it supports bulleted lists, unbulleted lists, horizontal lists, ordered lists (numbered or alphabetical), and horizontal ordered lists. It allows for easy css styling of the list or of the individual list items.

Inhaltsverzeichnis

- [1 Usage](#)
 - [1.1 Quick usage](#)
 - [1.2 All parameters](#)
 - [1.3 Arguments passed from parent template](#)
 - [1.4 Functions](#)
- [2 Parameters](#)
- [3 Examples](#)
 - [3.1 Bulleted lists](#)
 - [3.2 Unbulleted lists](#)
 - [3.3 Horizontal lists](#)
 - [3.4 Ordered lists](#)
 - [3.5 Horizontal ordered lists](#)
- [4 Tracking/maintenance category](#)
- [5 See also](#)

Usage

Quick usage

[Vorlage:Pre](#)

All parameters

[Vorlage:Pre](#)

Arguments passed from parent template

[Vorlage:Pre](#)

Functions

Function name	Produces	Example output	Template using the function
<code>bulleted</code>	Bulleted lists	<ul style="list-style-type: none">• First item• Second item• Third item	Vorlage:Tx
<code>unbulleted</code>	Unbulleted lists	<ul style="list-style-type: none">• First item• Second item• Third item	Vorlage:Tx
<code>horizontal</code>	Horizontal bulleted lists	<ul style="list-style-type: none">• First item• Second item• Third item	Vorlage:Tx
<code>ordered</code>	Ordered lists (numbered lists and alphabetical lists)	<ol style="list-style-type: none">1. First item2. Second item3. Third item	Vorlage:Tx
<code>horizontal_ordered</code>	Horizontal ordered lists	<ol style="list-style-type: none">1. First item2. Second item3. Third item	Vorlage:Tx

Parameters

- Positional parameters (1, 2, 3...) - these are the list items. If no list items are present, the module will output nothing.
- `start` - sets the start item for ordered lists. This can be a start number for numbered lists, or a start letter for alphabetical lists. Horizontal ordered lists only support numbers.
- `type` - the type of marker used in ordered lists. Possible values are "1" for numbers (the default), "A" for uppercase letters, "a" for lowercase letters, "I" for uppercase [Roman numerals](#), and "i" for lowercase Roman numerals. Not supported in horizontal ordered lists. See also the `list_style_type` parameter.
- `list_style_type` - the type of marker used in ordered lists. This uses CSS styling, and has more types available than the `type` parameter, which uses an [html attribute](#). Possible values are listed at [MDN's list-style-type page](#). Support may vary by browser. `list-style-type` is an alias for this parameter.
- `class` - a custom class for the [Vorlage:Tag](#) tags surrounding the list, e.g. `plainlinks`.
- `style` - a custom css style for the [Vorlage:Tag](#) tags surrounding the list, e.g. `font-size: 90%;`.
- `list_style` - a custom css style for the list itself. The format is the same as for the [Vorlage:Para](#) parameter.
- `item_style` - a custom css style for all of the list items (the [Vorlage:Tag](#) tags). The format is the same as for the [Vorlage:Para](#) parameter.
- `item1_style, item2_style, item3_style...` - custom css styles for each of the list items. The format is the same as for the [Vorlage:Para](#) parameter.
- `item1_value, item2_value, item3_value...` - custom value for the given list item. List items following the one given will increment from the specified value. The value should be a positive integer. (Note that this option only has an effect on ordered lists.)
- `indent` - this parameter indents the list, for horizontal and horizontal ordered lists only. The value must be a number, e.g. 2. The indent is calculated in [em](#), and is 1.6 times the value specified. If no indent is specified, the default is zero.

Examples

Bulleted lists

Code

```
{{#invoke:list|bulleted|First item|Second item|Third item}}
```

Result

- First item
- Second item
- Third item

- [First item](#)

```
{{#invoke:list|bulleted|First item|Second item|Third item|item_style=color:blue;}}
```

- Second item
- Third item

```
{{#invoke:list|bulleted|First item|Second item|Third item|item1_style=background-color:yellow;|item2_style=background-color:silver;}}
```

- First item
- Second item
- Third item

Unbulleted lists

Code

```
{{#invoke:list|unbulleted|First item|Second item|Third item}}
```

Result

- First item
- Second item
- Third item

```
{{#invoke:list|unbulleted|First item|Second item|Third item|item_style=color:blue;}}
```

- First item
- Second item
- Third item

```
{{#invoke:list|unbulleted|First item|Second item|Third item|item1_style=background-color:yellow;|item2_style=background-color:silver;}}
```

- First item
- Second item
- Third item

Horizontal lists

Code

Result

- First item

```
{{#invoke:list|horizontal|First item|Second item|Third item}}
```

- Second item
- Third item

```
{{#invoke:list|horizontal|First item|Second item|Third item|indent=2}}
```

- First item
- Second item
- Third item

Ordered lists

Code

```
{{#invoke:list|ordered|First item|Second item|Third item}}
```

Result

1. First item
2. Second item
3. Third item

```
{{#invoke:list|ordered|First item|Second item|Third item|start=3}}
```

3. First item
4. Second item
5. Third item

```
{{#invoke:list|ordered|First item|Second item|Third item|type=i}}
```

1. First item
2. Second item
3. Third item

```
{{#invoke:list|ordered|First item|Second item|Third item|list_style_type=lower-greek}}
```

1. First item
2. Second item
3. Third item

Horizontal ordered lists

Code

Result

1. First item

```
{{#invoke:list|horizontal_ordered|First item|Second item|Third item}}
```

2. Second item
3. Third item

```
{{#invoke:list|horizontal_ordered|First item|Second item|Third item|start=3}}
```

3. First item
4. Second item
5. Third item

```
{{#invoke:list|horizontal_ordered|First item|Second item|Third item|indent=2}}
```

1. First item
2. Second item
3. Third item

Tracking/maintenance category

- [Vorlage:Clc](#)

See also

- [Module:Separated entries](#)

Modul:List

[Vorlage:Lua](#)

This module outputs various kinds of lists. At present, it supports bulleted lists, unbulleted lists, horizontal lists, ordered lists (numbered or alphabetical), and horizontal ordered lists. It allows for easy css styling of the list or of the individual list items.

Inhaltsverzeichnis

- [1 Usage](#)
 - [1.1 Quick usage](#)
 - [1.2 All parameters](#)
 - [1.3 Arguments passed from parent template](#)
 - [1.4 Functions](#)
- [2 Parameters](#)

- [3 Examples](#)
 - [3.1 Bulleted lists](#)
 - [3.2 Unbulleted lists](#)
 - [3.3 Horizontal lists](#)
 - [3.4 Ordered lists](#)
 - [3.5 Horizontal ordered lists](#)
- [4 Tracking/maintenance category](#)
- [5 See also](#)

Usage

Quick usage

[Vorlage:Pre](#)

All parameters

[Vorlage:Pre](#)

Arguments passed from parent template

[Vorlage:Pre](#)

Functions

Function name	Produces	Example output	Template using the function
bulleted	Bulleted lists	<ul style="list-style-type: none"> • First item • Second item • Third item 	Vorlage:Tx
unbulleted	Unbulleted lists	<ul style="list-style-type: none"> • First item • Second item • Third item 	Vorlage:Tx
		<ul style="list-style-type: none"> • First item 	

horizontal	Horizontal bulleted lists	<ul style="list-style-type: none"> • Second item • Third item 	Vorlage:Tx
ordered	Ordered lists (numbered lists and alphabetical lists)	<ol style="list-style-type: none"> 1. First item 2. Second item 3. Third item 	Vorlage:Tx
horizontal_ordered	Horizontal ordered lists	<ol style="list-style-type: none"> 1. First item 2. Second item 3. Third item 	Vorlage:Tx

Parameters

- Positional parameters (1, 2, 3...) - these are the list items. If no list items are present, the module will output nothing.
- `start` - sets the start item for ordered lists. This can be a start number for numbered lists, or a start letter for alphabetical lists. Horizontal ordered lists only support numbers.
- `type` - the type of marker used in ordered lists. Possible values are "1" for numbers (the default), "A" for uppercase letters, "a" for lowercase letters, "I" for uppercase [Roman numerals](#), and "i" for lowercase Roman numerals. Not supported in horizontal ordered lists. See also the `list_style_type` parameter.
- `list_style_type` - the type of marker used in ordered lists. This uses CSS styling, and has more types available than the `type` parameter, which uses an [html attribute](#). Possible values are listed at [MDN's list-style-type page](#). Support may vary by browser. `list-style-type` is an alias for this parameter.
- `class` - a custom class for the [Vorlage:Tag](#) tags surrounding the list, e.g. `plainlinks`.
- `style` - a custom css style for the [Vorlage:Tag](#) tags surrounding the list, e.g. `font-size: 90%;`.
- `list_style` - a custom css style for the list itself. The format is the same as for the [Vorlage:Para](#) parameter.
- `item_style` - a custom css style for all of the list items (the [Vorlage:Tag](#) tags). The format is the same as for the [Vorlage:Para](#) parameter.
- `item1_style, item2_style, item3_style...` - custom css styles for each of the list items. The format is the same as for the [Vorlage:Para](#) parameter.
- `item1_value, item2_value, item3_value...` - custom value for the given list item. List items following the one given will increment from the specified value. The value should be a positive integer. (Note that this option only has an effect on ordered lists.)

- `indent` - this parameter indents the list, for horizontal and horizontal ordered lists only. The value must be a number, e.g. 2. The indent is calculated in [em](#), and is 1.6 times the value specified. If no indent is specified, the default is zero.

Examples

Bulleted lists

Code

```
{{#invoke:list|bulleted|First item|Second item|Third item}}
```

```
{{#invoke:list|bulleted|First item|Second item|Third item|item_style=color:blue;}}
```

```
{{#invoke:list|bulleted|First item|Second item|Third item|item1_style=background-color:yellow;|item2_style=background-color:silver;}}
```

Result

- First item
- Second item
- Third item

- First item
- Second item
- Third item

- First item
- Second item
- Third item

Unbulleted lists

Code

```
{{#invoke:list|unbulleted|First item|Second item|Third item}}
```

Result

- First item
- Second item
- Third item

```
{{#invoke:list|unbulleted|First item|Second item|Third item|item_style=color:blue;}}
```

- First item
- Second item
- Third item

```
{{#invoke:list|unbulleted|First item|Second item|Third item|item1_style=background-color:yellow;|item2_style=background-color:silver;}}
```

- First item
- Second item
- Third item

Horizontal lists

Code

```
{{#invoke:list|horizontal|First item|Second item|Third item}}
```

Result

- First item
- Second item
- Third item

```
{{#invoke:list|horizontal|First item|Second item|Third item|indent=2}}
```

- First item
- Second item
- Third item

Ordered lists

Code

```
{{#invoke:list|ordered|First item|Second item|Third item}}
```

Result

1. First item
2. Second item
3. Third item

```
{{#invoke:list|ordered|First item|Second item|Third item|start=3}}
```

3. First item
4. Second item
5. Third item

```
{{#invoke:list|ordered|First item|Second item|Third item|type=i}}
```

1. First item
2. Second item
3. Third item

```
{{#invoke:list|ordered|First item|Second item|Third item|list_style_type=lower-greek}}
```

1. First item
2. Second item
3. Third item

Horizontal ordered lists

Code

```
{{#invoke:list|horizontal_ordered|First item|Second item|Third item}}
```

Result

1. First item
2. Second item
3. Third item

```
{{#invoke:list|horizontal_ordered|First item|Second item|Third item|start=3}}
```

3. First item
4. Second item
5. Third item

```
{{#invoke:list|horizontal_ordered|First item|Second item|Third item|indent=2}}
```

1. First item
2. Second item
3. Third item

Tracking/maintenance category

- [Vorlage:Clc](#)

See also

- [Module:Separated entries](#)
-

```

-- This module outputs different kinds of lists. At the moment, bulleted,
-- unbulleted, horizontal, ordered, and horizontal ordered lists are supported.

local libUtil = require('libraryUtil')
local checkType = libUtil.checkType
local mTableTools = require('Module:TableTools')

local p = {}

local listTypes = {
    ['bulleted'] = true,
    ['unbulleted'] = true,
    ['horizontal'] = true,
    ['ordered'] = true,
    ['horizontal_ordered'] = true
}

function p.makeListData(listType, args)
    -- Constructs a data table to be passed to p.renderList.
    local data = {}

    -- Classes
    data.classes = {}
    if listType == 'horizontal' or listType == 'horizontal_ordered' then
        table.insert(data.classes, 'hlist hlist-separated')
    elseif listType == 'unbulleted' then
        table.insert(data.classes, 'plainlist')
    end
    table.insert(data.classes, args.class)

    -- Main div style
    data.style = args.style

    -- Indent for horizontal lists
    if listType == 'horizontal' or listType == 'horizontal_ordered' then
        local indent = tonumber(args.indent)
        indent = indent and indent * 1.6 or 0
        if indent > 0 then
            data.marginLeft = indent .. 'em'
        end
    end

    -- List style types for ordered lists
    -- This could be "1, 2, 3", "a, b, c", or a number of others. The list style
    -- type is either set by the "type" attribute or the "list-style-type" CSS
    -- property.
    if listType == 'ordered' or listType == 'horizontal_ordered' then
        data.listStyleType = args.list_style_type or args['list-style-type']
        data.type = args['type']

        -- Detect invalid type attributes and attempt to convert them to
        -- list-style-type CSS properties.
        if data.type
            and not data.listStyleType
            and not tostring(data.type):find('^%s*[1AaIi]%s*$')
        then
            data.listStyleType = data.type
            data.type = nil
        end
    end
end
end

```

```

-- List tag type
if listType == 'ordered' or listType == 'horizontal_ordered' then
    data.listTag = 'ol'
else
    data.listTag = 'ul'
end

-- Start number for ordered lists
data.start = args.start
if listType == 'horizontal_ordered' then
    -- Apply fix to get start numbers working with horizontal ordered lists.
    local startNum = tonumber(data.start)
    if startNum then
        data.counterReset = 'listitem ' .. tostring(startNum - 1)
    end
end

-- List style
-- ul_style and ol_style are included for backwards compatibility. No
-- distinction is made for ordered or unordered lists.
data.listStyle = args.list_style

-- List items
-- li_style is included for backwards compatibility. item_style was included
-- to be easier to understand for non-coders.
data.itemStyle = args.item_style or args.li_style
data.items = {}
for i, num in ipairs(mTableTools.numKeys(args)) do
    local item = {}
    item.content = args[num]
    item.style = args['item' .. tostring(num) .. '_style']
        or args['item_style' .. tostring(num)]
    item.value = args['item' .. tostring(num) .. '_value']
        or args['item_value' .. tostring(num)]
    table.insert(data.items, item)
end

return data
end

function p.renderList(data)
    -- Renders the list HTML.

    -- Return the blank string if there are no list items.
    if type(data.items) ~= 'table' or #data.items < 1 then
        return ''
    end

    -- Render the main div tag.
    local root = mw.html.create('div')
    for i, class in ipairs(data.classes or {}) do
        root.addClass(class)
    end
    root.css[['margin-left'] = data.marginLeft]
    if data.style then
        root.cssText(data.style)
    end

    -- Render the list tag.
    local list = root:tag(data.listTag or 'ul')
    list
end

```

```

        :attr{start = data.start, type = data.type}
        :css{
            ['counter-reset'] = data.counterReset,
            ['list-style-type'] = data.listStyleType
        }
    if data.listStyle then
        list:cssText(data.listStyle)
    end

    -- Render the list items
    for i, t in ipairs(data.items or {}) do
        local item = list:tag('li')
        if data.itemStyle then
            item:cssText(data.itemStyle)
        end
        if t.style then
            item:cssText(t.style)
        end
        item
            :attr{value = t.value}
            :wikitext(t.content)
    end

    return tostring(root)
end

function p.renderTrackingCategories(args)
    local isDeprecated = false -- Tracks deprecated parameters.
    for k, v in pairs(args) do
        k = tostring(k)
        if k:find('^item_style%d+$') or k:find('^item_value%d+$') then
            isDeprecated = true
            break
        end
    end
    local ret = ''
    if isDeprecated then
        ret = ret .. '[[Category:List templates with deprecated parameters]]'
    end
    return ret
end

function p.makeList(listType, args)
    if not listType or not listTypes[listType] then
        error(string.format(
            "bad argument #1 to 'makeList' ('%s' is not a valid list type)",
            tostring(listType)
        ), 2)
    end
    checkType('makeList', 2, args, 'table')
    local data = p.makeListData(listType, args)
    local list = p.renderList(data)
    local trackingCategories = p.renderTrackingCategories(args)
    return list .. trackingCategories
end

for listType in pairs(listTypes) do
    p[listType] = function (frame)
        local mArguments = require('Module:Arguments')
        local origArgs = mArguments.getArgs(frame, {
            valueFunc = function (key, value)

```

```
        if not value or not mw.ustrstring.find(value, '%S') then return nil end
        if mw.ustrstring.find(value, '^%s*[%*#;:]') then
            return value
        else
            return value:match('^%s*(.*)%s*$')
        end
        return nil
    end
})
-- Copy all the arguments to a new table, for faster indexing.
local args = {}
for k, v in pairs(origArgs) do
    args[k] = v
end
return p.makeList(listType, args)
end
end
return p
```