



Inhaltsverzeichnis

Modul:Navbox/configuration

Die Dokumentation für dieses Modul kann unter [Modul:Navbox/configuration/Doku](#) erstellt werden

```
return {
  aria_label = 'Navbox',
  nowrap_item = '%s<span class="nowrap">%s</span>',
  templatestyles = mw.getCurrentFrame():extensionTag{
    name = 'templatestyles', args = { src = 'Module:Navbox/styles.css'
  },
  -- do not localize marker table
  marker = {
    oddeven = '\127_ODDEVEN_\127',
    restart = '\127_ODDEVEN0_\127',
    regex = '\127_ODDEVEN(%d?)_\127'
  },
  category = {
    orphan = '[[Category:Navbox orphans]]',
    horizontal_lists = 'Navigational boxes without horizontal lists',
    background_colors = 'Navboxes using background colours',
    illegible = 'Potentially illegible navboxes',
    borders = 'Navboxes using borders',
  },
  keyword = {
    border_subgroup = 'subgroup',
    border_child = 'child',
    border_none = 'none',
    evenodd_swap = 'swap',
    navbar_off = 'off',
    navbar_plain = 'plain',
    nocat_false = 'false',
    nowrapitems_yes = 'yes',
    orphan_yes = 'yes',
    state_collapsed = 'collapsed',
    state_off = 'off',
    state_plain = 'plain',
    subpage_doc = 'doc',
    subpage_sandbox = 'sandbox',
    subpage_testcases = 'testcases',
    tracking_no = 'no'
  },
  class = {
    autocollapse = 'autocollapse',
    collapsible = 'mw-collapsible',
    collapsed = 'mw-collapsed',
    -- Warning
    navbox = 'navbox', -- WMF currently hides 'navbox' from mobile,
    -- so you probably shouldn't change the navbox class.
    navbox_abovebelow = 'navbox-abovebelow',
    navbox_group = 'navbox-group',
    navbox_image = 'navbox-image',
    navbox_inner = 'navbox-inner',
    navbox_list = 'navbox-list',
    navbox_list_with_group = 'navbox-list-with-group',
    navbox_part = 'navbox-', -- do not l10n
    navbox_styles = 'navbox-styles',
    navbox_subgroup = 'navbox-subgroup',
    navbox_title = 'navbox-title', -- l10n only if you change pattern
    navbox_odd_part = 'odd', -- do not l10n
    navbox_even_part = 'even', -- do not l10n
  }
}
```

```
nomobile = 'nomobile',
nowraplinks = 'nowraplinks',
noviewer = 'noviewer' -- used to remove images from MediaViewer
},
pattern = {
listnum = '^list(%d+)$',
sandbox = '/sandbox$',
navbox = 'Template:Navbox',
nowrap = '^<span class="nowrap">',
style = 'style$',
navbox_title = '<th[>]*"navbox%-title"',
hlist = 'hlist',
plainlist = 'plainlist'
},
arg = {
above = 'above',
aboveclass = 'aboveclass',
abovestyle = 'abovestyle',
basestyle = 'basestyle',
bodyclass = 'bodyclass',
bodystyle = 'bodystyle',
border = 'border',
below = 'below',
belowclass = 'belowclass',
belowstyle = 'belowstyle',
evenodd = 'evenodd',
evenstyle = 'evenstyle',
group1 = 'group1',
group2 = 'group2',
group_and_num = 'group%d',
groupstyle_and_num = 'group%dstyle',
groupclass = 'groupclass',
groupstyle = 'groupstyle',
groupwidth = 'groupwidth',
innerstyle = 'innerstyle',
image = 'image',
imageclass = 'imageclass',
imageleft = 'imageleft',
imageleftstyle = 'imageleftstyle',
imagesetyle = 'imagestyle',
list_and_num = 'list%d',
listclass_and_num = 'list%dclass',
liststyle_and_num = 'list%dstyle',
listpadding = 'listpadding',
listclass = 'listclass',
listpadding = 'listpadding',
liststyle = 'liststyle',
name = 'name',
navbar = 'navbar',
navboxclass = 'navboxclass',
nocat = 'nocat',
nowrapitems = 'nowrapitems',
oddstyle = 'oddstyle',
orphan = 'orphan',
state = 'state',
style = 'style',
templatestyles = 'templatestyles',
child_templatestyles = 'child templatestyles',
title = 'title',
titleclass = 'titleclass',
titlestyle = 'titlestyle',
tracking = 'tracking'
},
-- names of navbar arguments
```



```
    navbar = {  
        name = 1,  
        fontstyle = 'fontstyle',  
        mini = 'mini'  
    }  
}
```