

# Inhaltsverzeichnis

- [1. Modul:No globals](#)
- [2. Modul:No globals/Doku](#)

## Modul:No globals

[Vorlage:Used in system](#) [Vorlage:Module rating](#)

This module causes an error if any nil [global](#) is read or if any global is written to, with the exception of *arg*. To use, add `require('Module:No globals')` to the top of the module using it. The *arg* variable is excluded because it is necessary for Scribunto's [require](#) function to work properly. (See the Scribunto source code [here](#).)

### See also

- [Module:Log globals](#) – adds all nil global reads/writes to the Lua log

---

```
local mt = getmetatable(_G) or {}
function mt.__index (t, k)
    if k ~= 'arg' then
        error('Tried to read nil global ' .. tostring(k), 2)
    end
    return nil
end
function mt.__newindex(t, k, v)
    if k ~= 'arg' then
        error('Tried to write global ' .. tostring(k), 2)
    end
    rawset(t, k, v)
end
setmetatable(_G, mt)
```

## Modul:No globals/Doku

Dies ist die Dokumentationsseite für [Modul:No globals](#)

[Vorlage:Used in system](#) [Vorlage:Module rating](#)

This module causes an error if any nil [global](#) is read or if any global is written to, with the exception of *arg*. To use, add `require('Module:No globals')` to the top of the module using it. The *arg* variable is excluded because it is necessary for Scribunto's [require](#) function to work properly. (See the Scribunto source code [here](#).)

## See also

- [Module:Log globals](#) - adds all nil global reads/writes to the Lua log