

Inhaltsverzeichnis

1. Modul:No globals	2
2. Modul:No globals/Doku	3

Modul:No globals

Vorlage:Used in system Vorlage:Module rating

This module causes an error if any nil **global** is read or if any global is written to, with the exception of *arg*. To use, add `require('Module:No globals')` to the top of the module using it. The *arg* variable is excluded because it is necessary for Scribunto's `require` function to work properly. (See the Scribunto source code [here](#).)

See also

- [Module:Log globals](#) – adds all nil global reads/writes to the Lua log

```
local mt = getmetatable(_G) or {}
function mt.__index (t, k)
    if k ~= 'arg' then
        error('Tried to read nil global ' .. tostring(k), 2)
    end
    return nil
end
function mt.__newindex(t, k, v)
    if k ~= 'arg' then
        error('Tried to write global ' .. tostring(k), 2)
    end
    rawset(t, k, v)
end
setmetatable(_G, mt)
```

Modul:No globals/Doku

Dies ist die Dokumentationsseite für Modul:No globals

Vorlage:Used in system Vorlage:Module rating

This module causes an error if any nil **global** is read or if any global is written to, with the exception of *arg*. To use, add `require('Module:No globals')` to the top of the module using it. The *arg* variable is excluded because it is necessary for Scribunto's `require` function to work properly. (See the Scribunto source code [here](#).)

See also

- [Module:Log globals](#) – adds all nil global reads/writes to the Lua log