

## Inhaltsverzeichnis

|                                  |   |
|----------------------------------|---|
| 1. Modul:OutputBuffer .....      | 2 |
| 2. Modul:OutputBuffer/Doku ..... | 4 |

# Modul:OutputBuffer

This module provides an easy and efficient way to generate lengthy strings.

## Inhaltsverzeichnis

|                     |   |
|---------------------|---|
| 1 Usage .....       | 2 |
| 1.1 getBuffer ..... | 2 |
| 1.2 print .....     | 2 |
| 1.3 printf .....    | 2 |
| 2 Example .....     | 3 |

## Usage

First, load the module.

```
local newBuffer = require('Module:OutputBuffer')
```

Then, create the buffer and the functions that act on it.

```
local getBuffer, print, printf = newBuffer()
```

### getBuffer

```
local text = getBuffer(sep)
```

Returns the contents of the buffer, with an optional separator string *sep*.

### print

```
print(s)
```

Adds the string *s* to the buffer.

### printf

```
printf(s, ...)
```

Adds the string *s* to the buffer. The string is formatted with any subsequent arguments, following the rules used for [string.format](#).

## Example

```
local newBuffer = require('Module:OutputBuffer')
local p = {}

function p.main()
local getBuffer, print, printf = newBuffer()
print('Welcome to the English Wikipedia.')
printf('There are currently %d articles on this site.', mw.site.stats.articles)
return getBuffer(' ')
end

return p

-- Assuming this module's name is "TestModule", and that mw.site.stats.articles
-- {{#invoke:TestModule|main}} would output:
-- "Welcome to the English Wikipedia. There are currently 4500000 articles on th
```

```
return function()
local buffer = {}
return function(sep)
    local b = buffer
    buffer = {}
    return table.concat(b, sep)
end,
function(text)
    buffer[#buffer + 1] = text
end,
function(...)
    buffer[#buffer + 1] = string.format(...)
end
end
```

# Modul:OutputBuffer/Doku

## Dies ist die Dokumentationsseite für Modul:OutputBuffer

This module provides an easy and efficient way to generate lengthy strings.

### Inhaltsverzeichnis

|                     |   |
|---------------------|---|
| 1 Usage .....       | 4 |
| 1.1 getBuffer ..... | 4 |
| 1.2 print .....     | 4 |
| 1.3 printf .....    | 4 |
| 2 Example .....     | 5 |

## Usage

First, load the module.

```
local newBuffer = require('Module:OutputBuffer')
```

Then, create the buffer and the functions that act on it.

```
local getBuffer, print, printf = newBuffer()
```

### getBuffer

```
local text = getBuffer(sep)
```

Returns the contents of the buffer, with an optional separator string *sep*.

### print

```
print(s)
```

Adds the string *s* to the buffer.

### printf

```
printf(s, ...)
```

Adds the string *s* to the buffer. The string is formatted with any subsequent arguments, following the rules used for [string.format](#).

## Example

```
local newBuffer = require('Module:OutputBuffer')
local p = {}

function p.main()
local getBuffer, print, printf = newBuffer()
print('Welcome to the English Wikipedia.')
printf('There are currently %d articles on this site.', mw.site.stats.articles)
return getBuffer(' ')
end

return p

-- Assuming this module's name is "TestModule", and that mw.site.stats.articles
-- {{#invoke:TestModule|main}} would output:
-- "Welcome to the English Wikipedia. There are currently 4500000 articles on thi
```