

Modul:Plain text/Doku

Ausgabe: 27.06.2026

Letzte Änderung: 11.02.2022

Inhaltsverzeichnis

1. Modul:Plain text/Doku	3
2. Modul:Plain text	4

Modul:Plain text/Doku

Dies ist die Dokumentationsseite für [Modul:Plain text](#)

Developed for producing short descriptions from text that may have markup, or other stuff that needs removing from short descriptions.

Usage

Code

```
'''[[foo|hah]]''' <span style="color:red">is</span> '''[[gah]]'''<nowiki>?</nowiki>
```

hah is gah?

Using modul

```
{{#invoke:Plain text|main|1='''[[foo|hah]]''' <span style="color:red">is</span> </span> '''[[gah]]'''<nowiki>?</nowiki>}}
```

[Vorlage:Plain text](#)

See also

[Vorlage:Navbox wikitext-handling templates](#)

Modul:Plain text

Developed for producing short descriptions from text that may have markup, or other stuff that needs removing from short descriptions.

Usage

Code

```
'''[[foo|hah]]''' <span style="color:red">is</span> '''[[gah]]'''<nowiki>?</nowiki>
```

hah is *gah*?

Using modul

```
{{#invoke:Plain text|main|1='''[[foo|hah]]''' <span style="color:red">is</span> </span> '''[[gah]]'''<nowiki>?</nowiki>}}
```

[Vorlage:Plain text](#)

See also

[Vorlage:Navbox wikitext-handling templates](#)

```
--converts text with wikilinks to plain text, e.g "[[foo|gah]] is [[bar]]" to "ga
--removes anything enclosed in tags that isn't nested, mediawiki strip markers (r
local p = {}

function p.main(frame)
    local text = frame.args[1]
    local encode = require('Module:yesno')(frame.args.encode)
    return p._main(text, encode)
end

function p._main(text, encode)
    if not text then return end
    text = mw.text.killMarkers(text)
        :gsub('&nbsp;', ' ') --replace nbsp spaces with regular spaces
        :gsub('<br ?/?>', ', ') --replace br with commas
        :gsub('<span.->(.-)</span>', '%1') --remove spans while keeping t
        :gsub('<i.->(.-)</i>', '%1') --remove italics while keeping text
        :gsub('<b.->(.-)</b>', '%1') --remove bold while keeping text ins
        :gsub('<em.->(.-)</em>', '%1') --remove emphasis while keeping te
        :gsub('<strong.->(.-)</strong>', '%1') --remove strong while keep
        :gsub('<.->.-<.->', '') --strip out remaining tags and the text i
        :gsub('<.->', '') --remove any other tag markup
        :gsub('%[%[%s*[Ff][Ii][Ll][Ee]%s*:.-%]%', '') --strip out files
        :gsub('%[%[%s*[Ii][Mm][Aa][Gg][Ee]%s*:.-%]%', '') --strip out us
        :gsub('%[%[%s*[Cc][Aa][Tt][Ee][Gg][Oo][Rr][Yy]%s*:.-%]%', '') --
        :gsub('%[%[[^%]]-|', '') --strip out piped link text
        :gsub('([^[^%]]%[[^%]]%[[^%]]-s', '%1') --strip out external link
        :gsub('^%[[^%]]%[[^%]]-s', '') --strip out external link text
        :gsub('%[%]]', '') --then strip out remaining [ and ]
        :gsub('''''', '') --strip out bold italic markup
        :gsub('''''?', '') --not stripping out '''' gives correct output f
```

```
        :gsub('----+', '') --remove ---- lines
        :gsub("^%s+", "") --strip leading
        :gsub("%s+$", "") --and trailing spaces
        :gsub("%s+", " ") --strip redundant spaces
    if encode then
        return mw.text.encode(text)
    else
        return text
    end
end
return p
```