Inhaltsverzeichnis

1. Modul:Shortcut 2
2. Modul:Shortcut/Doku 6
3. Modul:Shortcut/config 8
4. Modul:Shortcut/config/Doku 9

Modul:Shortcut

This module makes a box showing the shortcut links to a page.

Inhaltsverzeichnis

1 Usage 2
1.1 From wikitext 2
1.2 From Lua 2
2 Technical details 2

Usage

From wikitext

From wikitext, this module should be called from a template, usually Vorlage:Tl. Please see the template page for documentation. However, it can also be called using the syntax `{{#invoke:shortcut|main|`*`arguments`*`}}`.

From Lua

To use this module from Lua, first load it.

```
local mShortcut = require('Module:Shortcut')
```

Then you can create shortcut boxes with the following syntax:

```
mShortcut._main(shortcuts, options, frame, cfg)
```

- *shortcuts* is an array of shortcut page names. (required)
- *options* is a table of options. The following keys are supported:
  - `msg` - a message to leave after the list of shortcuts.
  - `category` - if set to false (or a value regarded as false by Module:Yesno, such as "no"), categories are suppressed.
- *frame* a frame object. This is optional, and only intended to be used internally.
- *cfg* a table of config values. This is optional, and is only intended for testing.

Technical details

This module has a configuration file at Module:Shortcut/config. It can be used to translate this module into different languages or to change details like category names.

```
-- This module implements {{shortcut}}.

-- Set constants
local CONFIG_MODULE = 'Module:Shortcut/config'

-- Load required modules
local checkType = require('libraryUtil').checkType
local yesno = require('Module:Yesno')

local p = {}

local function message(msg, ...)
	return mw.message.newRawMessage(msg, ...):plain()
end

local function makeCategoryLink(cat)
	return string.format('[[%s:%s]]', mw.site.namespaces[14].name, cat)
end

function p._main(shortcuts, options, frame, cfg)
	checkType('_main', 1, shortcuts, 'table')
	checkType('_main', 2, options, 'table', true)
	options = options or {}
	frame = frame or mw.getCurrentFrame()
	cfg = cfg or mw.loadData(CONFIG_MODULE)
	local templateMode = options.template and yesno(options.template)
	local redirectMode = options.redirect and yesno(options.redirect)
	local isCategorized = not options.category or yesno(options.category) ~=

	-- Validate shortcuts
	for i, shortcut in ipairs(shortcuts) do
		if type(shortcut) ~= 'string' or #shortcut < 1 then
			error(message(cfg['invalid-shortcut-error'], i), 2)
		end
	end

	-- Make the list items. These are the shortcuts plus any extra lines such
	-- as options.msg.
	local listItems = {}
	for i, shortcut in ipairs(shortcuts) do
		local templatePath, prefix
		if templateMode then
			-- Namespace detection
			local titleObj = mw.title.new(shortcut, 10)
			if titleObj.namespace == 10 then
				templatePath = titleObj.fullText
			else
				templatePath = shortcut
			end
			prefix = options['pre' .. i] or options.pre or ''
		end
		if options.target and yesno(options.target) then
			listItems[i] = templateMode
				and string.format("&#123;&#123;%s[[%s|%s]]&#125;&
				or string.format("[[%s]]", shortcut)
		else
			listItems[i] = frame:expandTemplate{
				title = 'No redirect',
				args = templateMode and {templatePath, shortcut}
			}
			if templateMode then
				listItems[i] = string.format("&#123;&#123;%s%s&#1
			end
		end
```

```
	end
	table.insert(listItems, options.msg)

	-- Return an error if we have nothing to display
	if #listItems < 1 then
		local msg = cfg['no-content-error']
		msg = string.format('<strong class="error">%s</strong>', msg)
		if isCategorized and cfg['no-content-error-category'] then
			msg = msg .. makeCategoryLink(cfg['no-content-error-categ
		end
		return msg
	end

	local root = mw.html.create()
	root:wikitext(frame:extensionTag{ name = 'templatestyles', args = { src =
	-- Anchors
	local anchorDiv = root
		:tag('div')
			:addClass('module-shortcutanchordiv')
	for i, shortcut in ipairs(shortcuts) do
		local anchor = mw.uri.anchorEncode(shortcut)
		anchorDiv:tag('span'):attr('id', anchor)
	end

	-- Shortcut heading
	local shortcutHeading
	do
		local nShortcuts = #shortcuts
		if nShortcuts > 0 then
			local headingMsg = options['shortcut-heading'] or
				redirectMode and cfg['redirect-heading'] or
				cfg['shortcut-heading']
			shortcutHeading = message(headingMsg, nShortcuts)
			shortcutHeading = frame:preprocess(shortcutHeading)
		end
	end

	-- Shortcut box
	local shortcutList = root
		:tag('div')
			:addClass('module-shortcutboxplain plainlist noprint')
			:attr('role', 'note')
	if options.float and options.float:lower() == 'left' then
		shortcutList:addClass('module-shortcutboxleft')
	end
	if options.clear and options.clear ~= '' then
		shortcutList:css('clear', options.clear)
	end
	if shortcutHeading then
		shortcutList
			:tag('div')
				:addClass('module-shortcutlist')
				:wikitext(shortcutHeading)
	end
	local list = shortcutList:tag('ul')
	for i, item in ipairs(listItems) do
		list:tag('li'):wikitext(item)
	end
	return tostring(root)
end

function p.main(frame)
	local args = require('Module:Arguments').getArgs(frame)
```

```
	-- Separate shortcuts from options
	local shortcuts, options = {}, {}
	for k, v in pairs(args) do
		if type(k) == 'number' then
			shortcuts[k] = v
		else
			options[k] = v
		end
	end

	-- Compress the shortcut array, which may contain nils.
	local function compressArray(t)
		local nums, ret = {}, {}
		for k in pairs(t) do
			nums[#nums + 1] = k
		end
		table.sort(nums)
		for i, num in ipairs(nums) do
			ret[i] = t[num]
		end
		return ret
	end
	shortcuts = compressArray(shortcuts)

	return p._main(shortcuts, options, frame)
end

return p
```

Modul:Shortcut/Doku

Dies ist die Dokumentationsseite für Modul:Shortcut

This module makes a box showing the shortcut links to a page.

Inhaltsverzeichnis

1 Usage 6
1.1 From wikitext 6
1.2 From Lua 6
2 Technical details 6

Usage

From wikitext

From wikitext, this module should be called from a template, usually Vorlage:Tl. Please see the template page for documentation. However, it can also be called using the syntax `{{#invoke:shortcut|main|`*`arguments`*`}}`.

From Lua

To use this module from Lua, first load it.

```
local mShortcut = require('Module:Shortcut')
```

Then you can create shortcut boxes with the following syntax:

```
mShortcut._main(shortcuts, options, frame, cfg)
```

- *shortcuts* is an array of shortcut page names. (required)
- *options* is a table of options. The following keys are supported:
  - `msg` - a message to leave after the list of shortcuts.
  - `category` - if set to false (or a value regarded as false by Module:Yesno, such as "no"), categories are suppressed.
- *frame* a frame object. This is optional, and only intended to be used internally.
- *cfg* a table of config values. This is optional, and is only intended for testing.

Technical details

This module has a configuration file at Module:Shortcut/config. It can be used to translate this module into different languages or to change details like category names.

Modul:Shortcut/config

```
-- This module holds configuration data for [[Module:Shortcut]].

return {

-- The heading at the top of the shortcut box. It accepts the following parameter
-- $1 - the total number of shortcuts. (required)
['shortcut-heading'] = '[[Wikipedia:Shortcut|{{PLURAL:$1|Shortcut|Shortcuts}}]]',

-- The heading when |redirect=yes is given. It accepts the following parameter:
-- $1 - the total number of shortcuts. (required)
['redirect-heading'] = '[[Wikipedia:Redirect|{{PLURAL:$1|Redirect|Redirects}}]]',

-- The error message to display when a shortcut is invalid (is not a string, or
-- is the blank string). It accepts the following parameter:
-- $1 - the number of the shortcut in the argument list. (required)
['invalid-shortcut-error'] = 'shortcut #$1 was invalid (shortcuts must be ' ..
        'strings of at least one character in length)',

-- The error message to display when no shortcuts or other displayable content
-- were specified. (required)
['no-content-error'] = 'Error: no shortcuts were specified and the ' ..
        mw.text.nowiki('|msg=') ..
        ' parameter was not set.',

-- A category to add when the no-content-error message is displayed. (optional)
['no-content-error-category'] = 'Shortcut templates with missing parameters',
}
```

Modul:Shortcut/config/Doku

Dies ist die Dokumentationsseite für Modul:Shortcut/config