



Inhaltsverzeichnis

Modul:String

Vorlage:Lmd

This module is intended to provide access to basic string functions.

Most of the functions provided here can be invoked with named parameters, unnamed parameters, or a mixture. If named parameters are used, Mediawiki will automatically remove any leading or trailing whitespace from the parameter. Depending on the intended use, it may be advantageous to either preserve or remove such whitespace.

Inhaltsverzeichnis

1 Global options	2
2 len	2
3 sub	3
4 sublength	4
5 match	4
6 pos	5
7 str_find	6
8 find	7
9 replace (gsub)	8
10 rep	9
11 escapePattern	9
12 count	9
13 join	10
14 endswith	11
15 See also	11

Global options

ignore_errors

If set to 'true' or 1, any error condition will result in an empty string being returned rather than an error message.

error_category

If an error occurs, specifies the name of a category to include with the error message. The default category is [Vorlage:Clc](#).

no_category

If set to 'true' or 1, no category will be added if an error is generated.

Unit tests for this module are available at [Module:String/testcases](#).

len

This function returns the length of the target string.

Usage:

```
{{#invoke:String|len|target_string}}
```

OR

```
{{#invoke:String|len|s= target_string }}
```

Parameters:**s**

The string whose length to report

Examples:

- `{{#invoke:String|len| abcdefghi }}` → 11
- `{{#invoke:String|len|s= abcdefghi }}` → 9

sub

This function returns a substring of the target string at specified inclusive, one-indexed indices.

Usage:

```
{{#invoke:String|sub| target_string |start_index |end_index}}
```

OR

```
{{#invoke:String|sub|s= target_string |i= start_index |j= end_index }}
```

Parameters:**s**

The string to return a subset of

i

The first index of the substring to return, defaults to 1.

j

The last index of the string to return, defaults to the last character.

The first character of the string is assigned an index of 1. If either i or j is a negative value, it is interpreted the same as selecting a character by counting from the end of the string. Hence, a value of -1 is the same as selecting the last character of the string.

If the requested indices are out of range for the given string, an error is reported. To avoid error messages, use **Vorlage:MI** instead.

Examples:

- `"{{#invoke:String|sub| abcdefghi }}"` → " abcdefghi "
- `"{{#invoke:String|sub|s= abcdefghi }}"` → "abcdefghi"
- `"{{#invoke:String|sub| abcdefghi | 3 }}"` → "bcdefghi "
- `"{{#invoke:String|sub|s= abcdefghi |i= 3 }}"` → "cdefghi"
- `"{{#invoke:String|sub| abcdefghi | 3 | 4 }}"` → "bc"



- `"{{#invoke:String|sub|s= abcdefghi |i= 3 |j= 4 }}" → "cd"`

sublength

This function implements the features of [Vorlage:TI](#) and is kept in order to maintain these older templates. It returns a substring of the target string starting at a specified index and of a specified length.

Usage:

```
{{#invoke:String|sublength|s= target_string |i= start_index |len= length }}
```

Parameters:

s

The string

i

The starting index of the substring to return. The first character of the string is assigned an index of 0.

len

The length of the string to return, defaults to the last character.

Examples:

- `{{#invoke:String|sublength|s= abcdefghi }} → abcdefghi`
- `{{#invoke:String|sublength|s= abcdefghi |i= 3 }} → defghi`
- `{{#invoke:String|sublength|s= abcdefghi |i= 3 |len= 4 }} → defg`

match

This function returns a substring from the source string that matches a specified pattern.

Usage:

```
{{#invoke:String|match|source_string|pattern_string|start_index|match_number|plain_flag|nomatch_output}}
```

OR

```
{{#invoke:String|match|s= source_string |pattern= pattern_string |start= start_index |match= match_number |plain= plain_flag |nomatch= nomatch_output }}
```

Parameters:

s

The string to search

pattern

The pattern or string to find within the string

start



The index within the source string to start the search. The first character of the string has index 1. Defaults to 1.

match

In some cases it may be possible to make multiple matches on a single string. This specifies which match to return, where the first match is `match= 1`. If a negative number is specified then a match is returned counting from the last match. Hence `match = -1` is the same as requesting the last match. Defaults to 1.

plain

Boolean flag indicating that pattern should be understood as plain text and not as a [Scribunto ustring pattern](#) (a unicode-friendly [Lua-style regular expression](#)). Defaults to false (to change: `plain=true`)

nomatch

If no match is found, output the "nomatch" value rather than an error.

ignore_errors

If no match is found and `ignore_errors=true`, output an empty string rather than an error.

If the `match_number` or `start_index` are out of range for the string being queried, then this function generates an error. An error is also generated if no match is found. If one adds the parameter `ignore_errors=true`, then the error will be suppressed and an empty string will be returned on any failure.

For information on constructing [Lua patterns](#), a form of [regular expression](#), see:

- [Scribunto patterns](#)
- [Scribunto Unicode string patterns](#)

Examples:

- `{{#invoke:String|match| abc123def456 |%d+}} → 123`
- `{{#invoke:String|match|s= abc123def456 |pattern= %d+ }} → 123`
- `{{#invoke:String|match| abc123def456 |%d+|6}} → 23`
- `{{#invoke:String|match|s= abc123def456 |pattern= %d+ |start= 6 }} → 3`
- `{{#invoke:String|match|s= abc123def456 |pattern= %d+ |start= 6 |match= 2 }} → 456`
- `{{#invoke:String|match|s= abc123%d+ |pattern= %d+ }} → 123`
- `{{#invoke:String|match|s= abc123%d+ |pattern= %d+ |plain= true }} → %d+`
- `{{#invoke:String|match|s= abc |pattern= %d }} → String Module Error: Match not found`
- `{{#invoke:String|match|s= abc |pattern= %d |nomatch= No numeric characters in string }} → No numeric characters in string`
- `{{#invoke:String|match|s= abc |pattern= %d |ignore_errors= true }} →`
- `{{#invoke:String|match|s= 0012001200 |pattern= 0*(%d*) }} → 12001200`

pos

This function returns a single character from the target string at position `pos`.



Usage:

```
{{#invoke:String|pos|target_string|index_value}}
```

OR

```
{{#invoke:String|pos|target= target_string |pos= index_value }}
```

Parameters:

target

The string to search

pos

The index for the character to return

The first character has an index value of 1.

If one requests a negative value, this function will select a character by counting backwards from the end of the string. In other words pos = -1 is the same as asking for the last character.

A requested value of zero, or a value greater than the length of the string returns an error.

Examples:

- ```
{{#invoke:String|pos| abcdefghi | 4 }}
```

 → c
- ```
{{#invoke:String|pos|target= abcdefghi |pos= 4 }}
```

 → d

str_find

This function duplicates the behavior of **Vorlage:TI**, including all of its quirks. This is provided in order to support existing templates, but is NOT RECOMMENDED for new code and templates. New code is recommended to use the "find" function instead.

Returns the first index in "source" that is a match to "target". Indexing is 1-based, and the function returns -1 if the "target" string is not present in "source".

Important Note: If the "target" string is empty / missing, this function returns a value of "1", which is generally unexpected behavior, and must be accounted for separately.

Usage:

```
{{#invoke:String|str_find|source_string|target_string}}
```

OR

```
{{#invoke:String|str_find|source= source_string |target= target_string }}
```

Parameters:

source

The string to search

target

The string to find within source

Examples:

- `{{#invoke:String|str_find| abc123def }} → 1`
- `{{#invoke:String|str_find|source= abc123def }} → 1`
- `{{#invoke:String|str_find| abc123def |123}} → 5`
- `{{#invoke:String|str_find|source= abc123def |target= 123 }} → 4`
- `{{#invoke:String|str_find| abc123def |not}} → -1`

find

This function allows one to search for a target string or pattern within another string.

Usage:

```
{{#invoke:String|find|source_string|target_string|start_index|plain_flag}}
```

OR

```
{{#invoke:String|find|source= source_string |target= target_string |start=  
start_index |plain= plain_flag }}
```

Parameters:

source

The string to search

target

The string or pattern to find within source

start

The index within the source string to start the search, defaults to 1

plain

Boolean flag indicating that target should be understood as plain text and not as a [Scribunto ustring pattern](#) (a unicode-friendly [Lua-style regular expression](#)); defaults to true

This function returns the first index \geq "start" where "target" can be found within "source". Indices are 1-based. If "target" is not found, then this function returns 0. If either "source" or "target" are missing / empty, this function also returns 0.

This function should be safe for UTF-8 strings.

Examples:

- `{{#invoke:String|find|abc123def|12}} → 4`
- `{{#invoke:String|find|source=abc123def|target=12}} → 4`
- `{{#invoke:String|find|source=abc123def|target=pqr}} → 0`
- `{{#invoke:String|find| abc123def |123}} → 5`
- `{{#invoke:String|find|source= abc123def |target= 123 }} → 4`
- `{{#invoke:String|find|source=abc123def|target=%d |start=3 |plain=false }} → 4`



When using unnamed parameters, preceding and trailing spaces are kept and counted:

- `{{#invoke:String|find| abc123def |c|false}}` → 5
- `{{#invoke:String|find|source= abc123def |target=c|plain=false}}` → 3
- `{{#invoke:string|find|abc 123 def|%s|plain=false}}` → 4

Testing for the presence of a string:

- `Vorlage: Pf` → Didn't find needle

Vorlage:Anchor

replace (gsub)

This function allows one to replace a target string or pattern within another string. To Lua programmers: this function works internally by calling `Vorlage:Code`.

Usage:

```
{{#invoke:String|replace|source_str|pattern_string|replace_string|replacement_count|plain_flag}}
```

OR

```
{{#invoke:String|replace|source= source_string |pattern= pattern_string |replace= replace_string |count= replacement_count |plain= plain_flag }}
```

Parameters:

source

The string to search

pattern

The string or pattern to find within source

replace

The replacement text

count

The number of occurrences to replace; defaults to all

plain

Boolean flag indicating that pattern should be understood as plain text and not as a [Scribunto ustring pattern](#) (a unicode-friendly [Lua-style regular expression](#)); defaults to true

Examples:

- `"{{#invoke:String|replace| abc123def456 |123|XYZ}}"` → " abcXYZdef456 "
- `"{{#invoke:String|replace|source= abc123def456 |pattern= 123 |replace= XYZ }}"`
→ "abcXYZdef456"
- `"{{#invoke:String|replace| abc123def456 |%d+|XYZ|1|false}}"` → " abcXYZdef456 "
- `"{{#invoke:String|replace|source= abc123def456 |pattern= %d+ |replace= XYZ |count=1 |plain= false }}"` → "abcXYZdef456"



- `"{{#invoke:String|replace|source= abc123def456 |pattern= %d+ |replace= XYZ |plain= false }}"` → "abcXYZdefXYZ"
- `"{{#invoke:String|replace|source= 0012001200 |pattern= ^0* |plain= false }}"` → 12001200

rep

Repeats a string *n* times. A simple function to pipe `string.rep` to templates.

Usage:

```
{{#invoke:String|rep|source|count}}
```

Parameters:

source

The string to repeat

count

The number of repetitions.

Examples:

- `"{{#invoke:String|rep|hello|3}}"` → "hellohellohello"
- `"{{#invoke:String|rep| hello | 3 }}"` → " hello hello hello "

escapePattern

In a [Lua pattern](#), changes a *class character* into a *literal character*. For example: in a pattern, character `.` catches "any character"; `escapePattern` will convert it to `%.`, catching just the literal character `.`.

Usage:

- `"{{#invoke:String|escapePattern|pattern_string}}"`

Parameters:

pattern_string

The pattern string to escape

Examples:

- `"{{#invoke:String|escapePattern|A.D.}}"` → "A%.D%."
- `"{{#invoke:String|escapePattern|10%}}"` → "10%%"

count

Counts the number of times a given pattern appears in the arguments that get passed on to this module. Counts disjoint matches only.

Usage:

```
{{#invoke:String|count|source_str|pattern_string|plain_flag}}
```

OR

```
{{#invoke:String|count|source= source_string |pattern= pattern_string|plain= plain_flag }}
```

Parameters:

source_string

The string to count occurrences in

pattern

The string or pattern to count occurrences of within source

plain

Boolean flag indicating that pattern should be understood as plain text and not as a [Scribunto ustring pattern](#) (a unicode-friendly [Lua-style regular expression](#)); defaults to true

Examples:

- Count of 'a': "

```
{{#invoke:String|count|aabbcc|a}}
```

" → "2"
- Count occurrences of 'aba': "

```
{{#invoke:String|count|ababababab|aba}}
```

" → "2"
- Count of "either 'a' or 'c' ": "

```
{{#invoke:String|count|aabbcc|[ac]|plain=false}}
```

" → "4"
- Count of "not 'a' ": "

```
{{#invoke:String|count|aaabaaac|^[^a]|plain=false}}
```

" → "2"
- Count of "starts with 'a' ": "

```
{{#invoke:String|count|aaabaaac|^a|plain=false}}
```

" → "1"

join

Joins all strings passed as arguments into one string, treating the first argument as a separator

Usage:

```
{{#invoke:String|join|separator|string1|string2|...}}
```

Parameters:

separator

String that separates each string being joined together

Note that leading and trailing spaces are *not* stripped from the separator.

string1/string2/...

Strings being joined together

Examples:

- "

```
{{#invoke:String|join|x|foo|bar|baz}}
```

" → "fooxbarxbaz"
- "

```
{{#invoke:String|join||a|b|c|d|e|f|g}}
```

" → "abcdefg"
- "

```
{{#invoke:String|join|,|a|b|c|d|e|f|g}}
```

" → "a,b,c,d,e,f,g"
- "

```
{{#invoke:String|join| , |a|b|c|d|e|f|g}}
```

" → "a, b, c, d, e, f, g"
- "

```
{{#invoke:String|join| - |a|b|c|d|e|f|g}}
```

" → "a - b - c - d - e - f - g"

The preceding example uses the html entity `–`; but the unicode character also works.

endswith

Vorlage:For Usage:

```
{{#invoke:String|endswith|source_str|search_string}}
```

OR

```
{{#invoke:String|endswith|source= source_string |pattern= search_string}}
```

Returns "yes" if the source string ends with the search string. Use named parameters to have the strings trimmed before use. Despite the parameter name, *search_string* is not a Lua pattern, it is interpreted literally.

- `"{{#invoke:String|endswith|xxxyyy|y}}"` → "yes"
- `"{{#invoke:String|endswith|xxxyyy|z}}"` → ""

See also

Vorlage:String handling templates

```
--[[
```

This module is intended to provide access to basic string functions.

Most of the functions provided here can be invoked with named parameters, unnamed parameters, or a mixture. If named parameters are used, Mediawiki will automatically remove any leading or trailing whitespace from the parameter. Depending on the intended use, it may be advantageous to either preserve or remove such whitespace.

Global options

`ignore_errors`: If set to 'true' or 1, any error condition will result in an empty string being returned rather than an error message.

`error_category`: If an error occurs, specifies the name of a category to include with the error message. The default category is [Category:Errors reported by Module String].

`no_category`: If set to 'true' or 1, no category will be added if an error is generated.

Unit tests for this module are available at Module:String/tests.

```
]]
```

```
local str = {}
```

```
--[[
```

```
len
```

This function returns the length of the target string.

Usage:

```
{{#invoke:String|len|target_string}}
```

OR

```
{{#invoke:String|len|s=target_string}}
```

Parameters

s: The string whose length to report

If invoked using named parameters, Mediawiki will automatically remove any leading trailing whitespace from the target string.

```
]]
function str.len( frame )
    local new_args = str._getParameters( frame.args, {'s'} )
    local s = new_args['s'] or ''
    return mw.ustring.len( s )
end
```

```
--[[
sub
```

This function returns a substring of the target string at specified indices.

Usage:

```
{{#invoke:String|sub|target_string|start_index|end_index}}
```

OR

```
{{#invoke:String|sub|s=target_string|i=start_index|j=end_index}}
```

Parameters

s: The string to return a subset of

i: The first index of the substring to return, defaults to 1.

j: The last index of the string to return, defaults to the last character.

The first character of the string is assigned an index of 1. If either i or j is a negative value, it is interpreted the same as selecting a character by counting from the end of the string. Hence, a value of -1 is the same as selecting the last character of the string.

If the requested indices are out of range for the given string, an error is reported.

```
]]
function str.sub( frame )
    local new_args = str._getParameters( frame.args, { 's', 'i', 'j' } )
    local s = new_args['s'] or ''
    local i = tonumber( new_args['i'] ) or 1
    local j = tonumber( new_args['j'] ) or -1
```

```
    local len = mw.ustring.len( s )
```

```
    -- Convert negatives for range checking
```

```
    if i < 0 then
        i = len + i + 1
```

```
    end
```

```
    if j < 0 then
        j = len + j + 1
```

```
    end
```

```
    if i > len or j > len or i < 1 or j < 1 then
        return str._error( 'String subset index out of range' )
```

```
    end
```

```
    if j < i then
        return str._error( 'String subset indices out of order' )
```

```
    end
```

```
    return mw.ustring.sub( s, i, j )
```

```
end
```

```
--[[
```

This function implements that features of `{{str sub old}}` and is kept in order

```
to maintain these older templates.
]]
function str.sublength( frame )
    local i = tonumber( frame.args.i ) or 0
    local len = tonumber( frame.args.len )
    return mw.ustring.sub( frame.args.s, i + 1, len and ( i + len ) )
end
```

```
--[[
_match
```

This function returns a substring from the source string that matches a specified pattern. It is exported for use in other modules

Usage:

```
strmatch = require("Module:String")._match
sresult = strmatch( s, pattern, start, match, plain, nomatch )
```

Parameters

s: The string to search
pattern: The pattern or string to find within the string
start: The index within the source string to start the search. The first character of the string has index 1. Defaults to 1.
match: In some cases it may be possible to make multiple matches on a single string. This specifies which match to return, where the first match is match= 1. If a negative number is specified then a match is returned counting from the last match. Hence match = -1 is the same as requesting the last match. Defaults to 1.
plain: A flag indicating that the pattern should be understood as plain text. Defaults to false.
nomatch: If no match is found, output the "nomatch" value rather than an error

For information on constructing Lua patterns, a form of [regular expression], see

- * <http://www.lua.org/manual/5.1/manual.html#5.4.1>
- * http://www.mediawiki.org/wiki/Extension:Scribunto/Lua_reference_manual#Patterns
- * http://www.mediawiki.org/wiki/Extension:Scribunto/Lua_reference_manual#Ustring

```
]]
-- This sub-routine is exported for use in other modules
function str._match( s, pattern, start, match_index, plain_flag, nomatch )
    if s == '' then
        return str._error( 'Target string is empty' )
    end
    if pattern == '' then
        return str._error( 'Pattern string is empty' )
    end
    start = tonumber(start) or 1
    if math.abs(start) < 1 or math.abs(start) > mw.ustring.len( s ) then
        return str._error( 'Requested start is out of range' )
    end
    if match_index == 0 then
        return str._error( 'Match index is out of range' )
    end
    if plain_flag then
        pattern = str._escapePattern( pattern )
    end

    local result
    if match_index == 1 then
        -- Find first match is simple case
        result = mw.ustring.match( s, pattern, start )
    else
        if start > 1 then
```

```
        s = mw.ustr.string.sub( s, start )
    end

    local iterator = mw.ustr.gmatch(s, pattern)
    if match_index > 0 then
        -- Forward search
        for w in iterator do
            match_index = match_index - 1
            if match_index == 0 then
                result = w
                break
            end
        end
    else
        -- Reverse search
        local result_table = {}
        local count = 1
        for w in iterator do
            result_table[count] = w
            count = count + 1
        end
        result = result_table[ count + match_index ]
    end
end

if result == nil then
    if nomatch == nil then
        return str._error( 'Match not found' )
    else
        return nomatch
    end
else
    return result
end
end
```

```
--[[
match
```

This function returns a substring from the source string that matches a specified pattern.

Usage:

```
{{#invoke:String|match|source_string|pattern_string|start_index|match_number|plain_flag}}
OR
{{#invoke:String|match|s=source_string|pattern=pattern_string|start=start_index
|match=match_number|plain=plain_flag|nomatch=nomatch_output}}
```

Parameters

s: The string to search

pattern: The pattern or string to find within the string

start: The index within the source string to start the search. The first character of the string has index 1. Defaults to 1.

match: In some cases it may be possible to make multiple matches on a single string. This specifies which match to return, where the first match is match= 1. If a negative number is specified then a match is returned counting from the last match. Hence match = -1 is the same as requesting the last match. Defaults to 1.

plain: A flag indicating that the pattern should be understood as plain text. Defaults to false.

nomatch: If no match is found, output the "nomatch" value rather than an error.

If invoked using named parameters, Mediawiki will automatically remove any leading

trailing whitespace from each string. In some circumstances this is desirable, in other cases one may want to preserve the whitespace.

If the `match_number` or `start_index` are out of range for the string being queried, this function generates an error. An error is also generated if no match is found. If one adds the parameter `ignore_errors=true`, then the error will be suppressed and an empty string will be returned on any failure.

For information on constructing Lua patterns, a form of [regular expression], see

- * <http://www.lua.org/manual/5.1/manual.html#5.4.1>
- * http://www.mediawiki.org/wiki/Extension:Scribunto/Lua_reference_manual#Patterns
- * http://www.mediawiki.org/wiki/Extension:Scribunto/Lua_reference_manual#Ustring

```
]]
-- This is the entry point for #invoke:String|match
function str.match( frame )
    local new_args = str.getParameters( frame.args, { 's', 'pattern', 'start' } )
    local s = new_args['s'] or ''
    local start = tonumber( new_args['start'] ) or 1
    local plain_flag = str.getBoolean( new_args['plain'] or false )
    local pattern = new_args['pattern'] or ''
    local match_index = math.floor( tonumber( new_args['match'] ) or 1 )
    local nomatch = new_args['nomatch']

    return str._match( s, pattern, start, match_index, plain_flag, nomatch )
end
```

```
--[[
pos
```

This function returns a single character from the target string at position `pos`.

Usage:

```
{{#invoke:String|pos|target_string|index_value}}
OR
{{#invoke:String|pos|target=target_string|pos=index_value}}
```

Parameters

`target`: The string to search
`pos`: The index for the character to return

If invoked using named parameters, Mediawiki will automatically remove any leading and trailing whitespace from the target string. In some circumstances this is desirable, in other cases one may want to preserve the whitespace.

The first character has an index value of 1.

If one requests a negative value, this function will select a character by counting from the end of the string. In other words `pos = -1` is the same as asking for the last character.

A requested value of zero, or a value greater than the length of the string returns an error.

```
]]
function str.pos( frame )
    local new_args = str.getParameters( frame.args, { 'target', 'pos' } )
    local target_str = new_args['target'] or ''
    local pos = tonumber( new_args['pos'] ) or 0

    if pos == 0 or math.abs(pos) > mw.usttring.len( target_str ) then
        return str._error( 'String index out of range' )
    end

    return mw.usttring.sub( target_str, pos, pos )
end
```

```
--[[  
str_find
```

This function duplicates the behavior of `str_find`, including all of its quirks. This is provided in order to support existing templates, but is NOT RECOMMENDED for new code and templates. New code is recommended to use the "find" function instead.

Returns the first index in "source" that is a match to "target". Indexing is 1-based and the function returns -1 if the "target" string is not present in "source".

Important Note: If the "target" string is empty / missing, this function returns value of "1", which is generally unexpected behavior, and must be accounted for separately.

```
]]  
function str.str_find( frame )  
    local new_args = str._getParameters( frame.args, { 'source', 'target' } )  
    local source_str = new_args['source'] or ''  
    local target_str = new_args['target'] or ''  
  
    if target_str == '' then  
        return 1  
    end  
  
    local start = mw.usttring.find( source_str, target_str, 1, true )  
    if start == nil then  
        start = -1  
    end  
  
    return start  
end
```

```
--[[  
find
```

This function allows one to search for a target string or pattern within another string.

Usage:

```
{{#invoke:String|find|source_str|target_string|start_index|plain_flag}}
```

OR

```
{{#invoke:String|find|source=source_str|target=target_str|start=start_index|plain_flag}}
```

Parameters

source: The string to search

target: The string or pattern to find within source

start: The index within the source string to start the search, defaults to 1

plain: Boolean flag indicating that target should be understood as plain

text and not as a Lua style regular expression, defaults to true

If invoked using named parameters, Mediawiki will automatically remove any leading and trailing whitespace from the parameter. In some circumstances this is desirable, in other cases one may want to preserve the whitespace.

This function returns the first index \geq "start" where "target" can be found within "source". Indices are 1-based. If "target" is not found, then this function returns 0. If either "source" or "target" are missing / empty, this function also returns 0.

This function should be safe for UTF-8 strings.

```
]]  
function str.find( frame )  
    local new_args = str._getParameters( frame.args, { 'source', 'target', 'start', 'plain' } )  
    local source_str = new_args['source'] or ''
```



```
    local pattern = new_args['target'] or ''
    local start_pos = tonumber(new_args['start']) or 1
    local plain = new_args['plain'] or true

    if source_str == '' or pattern == '' then
        return 0
    end

    plain = str._getBoolean( plain )

    local start = mw.ustring.find( source_str, pattern, start_pos, plain )
    if start == nil then
        start = 0
    end

    return start
end

--[[
replace

This function allows one to replace a target string or pattern within another
string.

Usage:
{#{invoke:String|replace|source_str|pattern_string|replace_string|replacement_count}
OR
{#{invoke:String|replace|source=source_string|pattern=pattern_string|replace=replace_string|replacement_count|plain=plain_flag}}

Parameters
    source: The string to search
    pattern: The string or pattern to find within source
    replace: The replacement text
    count: The number of occurrences to replace, defaults to all.
    plain: Boolean flag indicating that pattern should be understood as plain
           text and not as a Lua style regular expression, defaults to true
]]
function str.replace( frame )
    local new_args = str._getParameters( frame.args, { 'source', 'pattern', 'replace', 'count', 'plain' } )
    local source_str = new_args['source'] or ''
    local pattern = new_args['pattern'] or ''
    local replace = new_args['replace'] or ''
    local count = tonumber( new_args['count'] )
    local plain = new_args['plain'] or true

    if source_str == '' or pattern == '' then
        return source_str
    end

    plain = str._getBoolean( plain )

    if plain then
        pattern = str._escapePattern( pattern )
        replace = mw.ustring.gsub( replace, "%%", "%%%" ) --Only need to
    end

    local result

    if count ~= nil then
        result = mw.ustring.gsub( source_str, pattern, replace, count )
    else
        result = mw.ustring.gsub( source_str, pattern, replace )
    end
end
```

```
        return result
    end

    --[[
    simple function to pipe string.rep to templates.
    ]]
    function str.rep( frame )
        local repetitions = tonumber( frame.args[2] )
        if not repetitions then
            return str._error( 'function rep expects a number as second param' )
        end
        return string.rep( frame.args[1] or '', repetitions )
    end

    --[[
    escapePattern

    This function escapes special characters from a Lua string pattern. See [1]
    for details on how patterns work.

    [1] https://www.mediawiki.org/wiki/Extension:Scribunto/Lua\_reference\_manual#Patterns

    Usage:
    {{#invoke:String|escapePattern|pattern_string}}

    Parameters
    pattern_string: The pattern string to escape.
    ]]
    function str.escapePattern( frame )
        local pattern_str = frame.args[1]
        if not pattern_str then
            return str._error( 'No pattern string specified' )
        end
        local result = str._escapePattern( pattern_str )
        return result
    end

    --[[
    count
    This function counts the number of occurrences of one string in another.
    ]]
    function str.count(frame)
        local args = str._getParameters(frame.args, {'source', 'pattern', 'plain'})
        local source = args.source or ''
        local pattern = args.pattern or ''
        local plain = str._getBoolean(args.plain or true)
        if plain then
            pattern = str._escapePattern(pattern)
        end
        local _, count = mw.usttring.gsub(source, pattern, '')
        return count
    end

    --[[
    endswith
    This function determines whether a string ends with another string.
    ]]
    function str.endswith(frame)
        local args = str._getParameters(frame.args, {'source', 'pattern'})
        local source = args.source or ''
        local pattern = args.pattern or ''
        if pattern == '' then
            -- All strings end with the empty string.
            return "yes"
        end
    end
```

```
        end
        if mw.ustring.sub(source, -mw.ustring.len(pattern), -1) == pattern then
            return "yes"
        else
            return ""
        end
    end
end

--[[
join

Join all non empty arguments together; the first argument is the separator.
Usage:
{#{#invoke:String|join|sep|one|two|three}}
]]
function str.join(frame)
    local args = {}
    local sep
    for _, v in ipairs( frame.args ) do
        if sep then
            if v ~= '' then
                table.insert(args, v)
            end
        else
            sep = v
        end
    end
    return table.concat( args, sep or '' )
end

--[[
Helper function that populates the argument list given that user may need to use
named and unnamed parameters. This is relevant because named parameters are not
identical to unnamed parameters due to string trimming, and when dealing with st
we sometimes want to either preserve or remove that whitespace depending on the a
]]
function str._getParameters( frame_args, arg_list )
    local new_args = {}
    local index = 1
    local value

    for _, arg in ipairs( arg_list ) do
        value = frame_args[arg]
        if value == nil then
            value = frame_args[index]
            index = index + 1
        end
        new_args[arg] = value
    end

    return new_args
end

--[[
Helper function to handle error messages.
]]
function str._error( error_str )
    local frame = mw.getCurrentFrame()
    local error_category = frame.args.error_category or 'Errors reported by M
    local ignore_errors = frame.args.ignore_errors or false
    local no_category = frame.args.no_category or false

    if str._getBoolean(ignore_errors) then
        return ''
    end
end
```



```
        end
        local error_str = '<strong class="error">String Module Error: ' .. error_
        if error_category ~= '' and not str._getBoolean( no_category ) then
            error_str = '[[Category:' .. error_category .. ']]' .. error_str
        end
        return error_str
    end

    --[[
    Helper Function to interpret boolean strings
    ]]
    function str._getBoolean( boolean_str )
        local boolean_value

        if type( boolean_str ) == 'string' then
            boolean_str = boolean_str:lower()
            if boolean_str == 'false' or boolean_str == 'no' or boolean_str ==
                or boolean_str == '' then
                boolean_value = false
            else
                boolean_value = true
            end
        elseif type( boolean_str ) == 'boolean' then
            boolean_value = boolean_str
        else
            error( 'No boolean value found' )
        end
        return boolean_value
    end

    --[[
    Helper function that escapes all pattern characters so that they will be treated
    as plain text.
    ]]
    function str._escapePattern( pattern_str )
        return mw.ustr.gsub( pattern_str, "([%(%).%+%-%*%?%[%^%$%])", "%%"
    end

    return str
```