



Inhaltsverzeichnis

1. Modul:Unicode data/derived core properties	2
2. Modul:Unicode data/derived core properties/Doku	3



Modul:Unicode data/derived core properties

Contains data for the `Default_Ignorable_Code_Point` property, which is used by the function `is_default_ignorable` in `Module:Unicode data/sandbox`. Generated by `Module:Unicode data/derived core properties/make` from `DerivedCoreProperties.txt` in the Unicode Character Database.

```
local data = {}

data.default_ignorable = {
  singles = {
    [0x000AD] = true,
    [0x0034F] = true,
    [0x0061C] = true,
    [0x03164] = true,
    [0x0FEFF] = true,
    [0xFFA0] = true,
  },
  ranges = {
    { 0x0115F, 0x01160 },
    { 0x017B4, 0x017B5 },
    { 0x0180B, 0x0180F },
    { 0x0200B, 0x0200F },
    { 0x0202A, 0x0202E },
    { 0x02060, 0x0206F },
    { 0xFE00, 0xFE0F },
    { 0xFFF0, 0xFFF8 },
    { 0x1BCA0, 0x1BCA3 },
    { 0x1D173, 0x1D17A },
    { 0xE0000, 0xE0FFF },
  },
}

return data
```



Modul:Unicode data/derived core properties/Doku

Dies ist die Dokumentationsseite für [Modul:Unicode data/derived core properties](#)

Contains data for the `Default_Ignorable_Code_Point` property, which is used by the function `is_default_ignorable` in [Module:Unicode data/sandbox](#). Generated by [Module:Unicode data/derived core properties/make](#) from [DerivedCoreProperties.txt](#) in the Unicode Character Database.